



 Hebei Minmetals Co.,Ltd.

# POSTS



# Company Profile



Hebei Minmetals Co Ltd. is a joint-stock group specialized in foreign & domestic sales and production. Established in 2004, the company's foundation was derived from the structural reform of the old state foreign trading companies, and has a registered capital of 45 million RMB. The company has grown dramatically in recent years with turnover growing to over \$200 million, and has become one of the top exporters in Hebei Province. We have many years of experience of exporting to all corners of the world, and have a dedicated team focused on research and development of new products. With constant investment and innovation, our product ranges have grown substantially.



<b>Overview</b>	Company registration date: 2004-09-01	Floor space(m <sup>2</sup> ): 60919
	Annual export revenue (USD): 300000000	Accepted languages: English, German, Japanese, Russian, French

<b>Production capabilities</b>	Production lines: 12+	Total annual output (units): 5000000
	Production machines: 50+	Total employee: 500+



# Intelligence manufacturing

Intelligence manufacturing refers to multiple 'new normals' in the context of manufacturing - that is, how industry will leverage the application of new disruptive technologies such as 'Artificial intelligence', 'Robotics', 'Additive manufacturing' (3D printing), and the 'Internet of Things', to change the face of traditional manufacturing.

Hebei Minmetals Co., Ltd. own 6 factories are all equipped with the most advanced facilities and equipments in the industry. The main production facilities include Automatic Welding and moulding robot, Automatic punching unit, Automatic laser cutting line, Semi-automatic powder coating line, Stereoscopic automatic warehouse and so on.



## Stereoscopic Automatic Warehouse

Hebei Minmetals's Auto-store gives customers the speed, precision, and reliability they expect in today's fast-paced, omnichannel digital economy.

An automated storage and retrieval system (ASRS), it harnesses the power of warehouse robots for 24/7 order fulfillment within a cubic layout so dense it can actually quadruple storage capacity and unlock the true potential of storage floorspace.



4×

Storage Capacity Within the same footprint

99.7%

Uptime 24/7 access to inventory

100%

Real-time inventory data sharing with customers







# Products Catalogue

Round Post

› › › page 04

Square Post

› › › page 11

Notched Post

› › › page 18

Z Profile Post

› › › page 23

T Post & L Post

› › › page 25

U Post

› › › page 27

Studded T Post & Drilled T Post

Aluminum Post

› › › page 31

Accessories

› › › page 37







# Round Post

Round posts are perfectly suited to any fence and panel.  
It supplies is both effective and pretty.  
Simple to install and low maintenance.  
They are also last for years with little work from you,  
making them a convenient and durable solution.

## Application



Schools



Private homes



Housing complexes



Public places



Sports infrastructure

Euro-Pipe-Post	Page 06
Euro-Brace-Post	Page 07
Multi Post	Page 08
Multi-Stake	Page 10

# Euro-Pipe-Post



Diametre X Length	Wire Holder	For Netting Height(mm)
34x900	2	500
34x950	2	600
34x1200	3	800
34x1500	3	1000
34x1750	3	1250
34x2000	3	1500
40x1500	3	1000
40x1750	3	1250
40x2000	3	1500
40x2250	3	1750
40x2500	4	2000



## Technical Specification:

- Section: 34mm/40mm
- Height: 1000mm/1250mm  
1500mm/1750mm  
2000mm/2250mm
- Treatment: HDG tube,  
powder coated
- Thickness: 1.25mm

## Colour:


- Green RAL 6005
- Grey RAL 7016

※ Galvanized also available,  
without powder coating.





# Euro Brace Post



## Technical Specification:

- Section: 34mm/40mm
- Height: 1200mm/1500mm  
1750mm/2000mm  
2250mm/2500mm
- Treatment: HDG tube,  
powder coated
- Thickness: 1.25mm

## Colour:

- Green RAL 6005
- Grey RAL 7016



Stretching Bars

## Size:

- |          |          |
|----------|----------|
| 6×850mm  | 6×1550mm |
| 6×1050mm | 6×1800mm |
| 6×1300mm | 6×2050mm |

# Multi Post




- Making fencing more easier and simple in garden.
- Ideal post for all different types of chain link fence, euro fence, euro panel as well as other fences.





# Multi Post



## Technical Specification:

- Section: 48mm
- Height: 900mm/1000mm/1250mm  
1500mm/1750mm/2000mm  
2300mm/2500mm
- Treatment: HDG tube,  
powder coated
- Thickness: 1.5mm

## Colour:

- Green RAL 6005
- Grey RAL 7016





# Multi Stake



## Technical Specification:

- Section: 16mm/19mm
- Height: 800mm/1000mm  
1250mm/1500mm  
1750mm/2000mm
- Treatment: Circular steel tube,  
PVC coated with pointed end

## Colour:

- Green RAL 6005



# Square Posts

Square posts are one of the most versatile posts in the industry and a great choice for gardening and private home yard . The square shape provides greater wind load capabilities and torsional stability, They are secure, long-lasting and weatherproof.

## Application



Schools




Private homes




Housing complexes



Public places



Sports infrastructure



Heavy industry

Square Post	Page 12
Square Corner Post	Page 15
Square Post with Plate	Page 16



# Square Post



- Strong and durable.
- Easy and convenient installation.
- Compatible with various types of wire fence, including Dino panel, double wire panel, Forti panel, as well as serving as a reliable post support for garden gates.





# Square Post



Pipe (mm)	Length (mm)	Thickness (mm)	Fence Holders	Pipe (mm)	Length (mm)	Thickness (mm)	Fence Holders
40/40	1000	1.5	3	60/40	1200	1.5	3
40/40	1250	1.5	3	60/40	1400	1.5	3
40/40	1500	1.5	4	60/40	1600	1.5	4
40/40	1700	1.5	4	60/40	1800	1.5	4
40/40	2000	1.5	5	60/40	2000	1.5	4
40/40	2200	1.5	5	60/40	2200	1.5	4
40/40	2400	1.5	6	60/40	2400	1.5	5
40/40	2600	1.5	6	60/40	2600	1.5	5
40/40	3000	1.5	6	60/40	2800	1.5	5
				60/40	3000	1.5	5

## Technical Specification:

- Section: 40×40mm
- 40×60mm
- Height: Large range, up to 3000mm high
- Treatment: HDG tube, powder coated

## Colour:

- Green RAL 6005
- Grey RAL 7016

※ Galvanized also available, without powder coating.









# Square Corner Post



## Technical Specification:

- Section: 40×60mm
- 60×60mm
- Height: Large range, up to 3000mm high
- Treatment: HDG tube, powder coated

## Colour:

- Green RAL 6005
- Grey RAL 7016
- ※ Galvanized also available, without powder coating.

Pipe (mm)	Length (mm)	Thickness (mm)	Fence Holders
40/40	1000	1.5	6
40/40	1250	1.5	6
40/40	1500	1.5	8
40/40	1700	1.5	8
40/40	2000	1.5	10
40/40	2200	1.5	10
40/40	2400	1.5	12
40/40	2600	1.5	12
40/40	3000	1.5	12

Pipe (mm)	Length (mm)	Thickness (mm)	Fence Holders
60/40	1200	1.5	6
60/40	1400	1.5	6
60/40	1600	1.5	8
60/40	1800	1.5	8
60/40	2000	1.5	8
60/40	2200	1.5	8
60/40	2400	1.5	10
60/40	2600	1.5	10
60/40	2800	1.5	10
60/40	3000	1.5	10



# Square Post with Plate

- Ideal post for double wire panel.
- Strong and rigid.
- Simple and quick installation.





# Square Post with Plate



## Technical Specification:

- Section: 60×40mm
- Height: Large range, up to 3000mm high
- Treatment: HDG tube, powder coated

## Colour:

- Green RAL 6005
- Grey RAL 7016









# Notched Post

Notched System has a section cut out from one side of the posts to allow the panel and fence to assemble easily and fast.

It supplies is both morden and pretty.

No fixing accessories needed.

One post for all situations: step, curves, slopes, corners...

## Application



Schools



Private homes



Housing complexes



Public places



Sports infrastructure



Light industry




Service sector sites

Tunnel Type	Page 20
H Type Post	Page 21
Dovetail Type Post	Page 22

# Tunnel Post



- The special H shape post makes product have strong anti-bending and stable structure.
- The newest post innovation compatible with all types of forti panels
- Simple and quick installation.
- No fixing accessories needed.




## Technical Specification:

- Section: 57.9×74.2mm
- Height: Large range, up to 3500mm high
- Treatment: Galvanised and powder coating

## Colour:

- Grey RAL 7016
- Green RAL 6005
- White RAL 9010
- Black RAL 9005





# H Type Post



- The H type post makes product have strong anti-bending and stable structure.
- Simple and quick installation.
- No fixing accessories needed.




Flat H type post

## Technical Specification:

- Section: 68.3×54mm
- Treatment: Galvanised and powder coating
- Height: Large range, up to 3500mm high

## Colour:

- |  |                |  |                |
|--|----------------|--|----------------|
|  | Grey RAL 7016  |  | White RAL 9010 |
|  | Green RAL 6005 |  | Black RAL 9005 |



Waved H type post

## Technical Specification:

- Section: 67.3×54mm
- Treatment: Galvanised and powder coating
- Height: Large range, up to 3500mm high

## Colour:

- |  |                |  |                |
|--|----------------|--|----------------|
|  | Grey RAL 7016  |  | White RAL 9010 |
|  | Green RAL 6005 |  | Black RAL 9005 |



# Dovetail Type Post



- Easy and fast installation.
- Elegant and modern look.
- No fixing accessories needed.
- Reduce wind resistance effectively.



## Technical Specification:

- Section: 80×49.5mm
- Height: Large range, up to 3500mm high
- Treatment: Galvanised and powder coating
- Thickness: 1.2mm

## Colour:

- Grey RAL 7016
- Green RAL 6005
- White RAL 9010
- Black RAL 9005



# Z Profile Post

The Z profile posts are perfectly suitable for barbed wire, field fence and iron wire. They are commonly used for farming, forestry and even within personal gardens. As a reliable and long-lasting barriers, Z profile posts effectively assist in animals or wildlife control. Furthermore, the Z-posts find utility in Vineyard Orchards, serving various crops such as grapes and apples.

## Application



Landmark



Farming forest





Garden

# Z Profile Post



- The Z-profile design makes the post exceptional stability.
- No additional fixings are required.Quick and effortless assembly process.
- The wire slot along the post provides complete control of trellis wires.



## Technical Specification:

- Thickness: 1.5mm, 1.8mm, 2.0mm
- Section: 53x28.5mm
- Treatment: Galvanised or Powder coating
- Height: Large range, from 1500mm up to 2600mm, commonly used.

## Colour:

- Galvanised
- Green RAL 6005





# T Post & L Post

The T & L Post Kit enables you to achieve exceptional stability in your T-Post fence system, making it ideal for securing the fence around your pasture gate and providing enhanced herding security for your animals.

This versatile kit can easily adapt to chain link fence and euro fence.

## Application



Farming forest



Public places



Landmark

# T Post & L Post



## T Post

Length(m)	Section(mm)
0.75	30×30
1.00	30×30
1.20	30×30
1.45	30×30
1.75	30×30
2.00	30×30
2.25	30×30
2.50	30×30



### Colour:

● Green RAL 6005

● Grey RAL 7016

※ Galvanized also available, without powder coating.



## L Post

Length(m)	Section(mm)
1.00	25×25
1.20	25×25
1.50	25×25
1.75	25×25
2.00	25×25
2.25	25×25



# U Post Studded T Post & Drilled T Post

Constructed of durable powder-coated steel  
Powder-coated steel construction provides corrosion protection  
Easy to install, with no digging required  
Steel fence post that supports wire fencing

## Application



Farming forest



Public places




Landmark

U Post	Page 26
Studded T Post	Page 27
Powder Coated Steel Drilled T-Post	Page 28

# U Post



- Constructed of durable powder-coated steel
- Powder-coated steel construction provides corrosion protection and resists chipping
- Tabs on post allow you to easily attach and secure your rolled fence product to the post
- Anchor plate helps provide support and stability
- Great for light duty fencing applications
- Easy to install, with no digging required
- Simply drive post into ground using a post driver until anchor plate is below ground level




## Technical Specification:

- Specification: Light duty  
Heavy duty
- Size: 3ft, 4ft, 5ft, 6ft, 7ft

## Colour:

- Green RAL 6005





# Studded T Post



- Studded T- post that's easy to install, no holes to dig
- Steel fence post that supports wire fencing
- Studded design secures fencing fabric
- Green enamel coating holds up to the elements and prevents rust
- Anchor plate minimizes rotational movement of the T-Post



## Technical Specification:

- Specification: 1.25lb, 1.33lbs
- Size: 5ft, 5.5ft, 6ft, 6.5ft, 7ft, 10ft

## Colour:

- Green RAL 6005



# Powder Coated Steel Drilled T-Post




- Constructed of powder-coated steel
- Powder-coated steel construction provides corrosion protection and resists chipping
- Great for heavy duty fencing applications
- Easy to install, with no digging required: simply drive post into ground using a post driver



## Technical Specification:

- Specification: 0.95lb
- Size: 6ft, 7ft, 8ft

## Colour:

-  Green RAL 6005



# Aluminum Post

Multi-functional post can be installed with fence and railing at the same time to realize double layer protection.

Use unique accessories and anti-theft bolts to connect the post and panel, impossible to remove the panel once installed.

Provide a professional 20 years guarantee of anti-corrosion.

## Application



Service sector sites



School




Private homes



Housing complexes



Public places



Heavy industry



Sports infrastructure



Office building

TORIS Post

Page 30

DORIC Post

Page 32







# TORIS Post



## Technical Specification:

- Section: 95×65mm
- Height: 1900mm/2100mm  
2300mm/2500mm  
2800mm/3000mm  
3200mm/3400mm etc.
- Treatment: Aluminum alloy, Nano-ceramics and electrostatic powder spraying coating
- Thickness: 1.5mm

## Colour:

- Green RAL 6005
- Grey RAL 7016
- Pearl orange RAL2013
- White RAL 9010









# DORIC Post



## Technical Specification:

- Section: 100×75mm
- Height: 1900mm/2100mm  
2300mm/2500mm  
2800mm/3000mm  
3200mm/3400mm etc.
- Treatment: Aluminum alloy, Nano-ceramics and electrostatic powder spraying coating
- Thickness: 2.5mm, 3.0mm

## Colour:


- Green RAL 6005
- Grey RAL 7016
- Pearl orange RAL2013
- White RAL 9010











# Accessories



 Hebei Minmetals Co.,Ltd.

Add: No. 337, Xi nHua Road, Shi j i azhuang,  
Hebei , Chi na

Tel / WhatsApp: +8617736090821

E-mail: [marketing@hebeimetals.com](mailto:marketing@hebeimetals.com)

Website: [www.hebeimetals.com](http://www.hebeimetals.com)