




LEAF SPRING AND TRAILER PARTS CATALOG



Hebei Minmetals Co.,Ltd.

www.hebeimetals.com

MEMO



CONTENTS

01

P02-P09

ABOUT US

COMPANY PROFILE	(02)
PARTNER PROFILE	(03)
MAIN EQUIPMENTS	(04)
QUALITY ASSURANCE	(06)
ENVIRONMENTAL FRIENDLY	(08)

02

P10-P33

PRODUCTS

AMERICAN TRAILER LEAF SPRING	(10)
AUSTRALIAN TRAILER LEAF SPRING	(12)
SOUTH AFRICAN & EUROPEAN TRAILER LEAF SPRING	(13)
AUTOMOBILE LEAF SPRING	(14)
TRA TRAILER LEAF SPRING	(15)
AGRICULTURAL LEAF SPRING	(16)
LEAF SPRING FITTING	(17)
SHOCK ABSORBERS	(18)
BRAKE DRUMS	(19)
HUBS	(20)
DUST CAPS - RUBBER PLUG	(21)
BRAKES	(22)
HOT FORGED FLANGE SPINDLE	(23)
ROUND TUBE	(24)
SQUARE TUBE	(24)
BEARING & SEALS	(25)
TRAILER JACKS	(26)
TOW PARTS	(27)
BOAT TRAILER ROLLERS	(28)
PLASTIC FENDER	(29)
TRAILER LIGHT & PLUG	(30)
TAILER RAMP	(31)
RV WINDOW SCREENS	(32)
RV SCREEN DOOR	(33)
MEMO	(34)

COMPANY PROFILE

Hebei Minmetals Co., Ltd. was registered in 2004 with a capital of 60 million RMB. It possesses five factories and employs over 2,200 individuals. With the assistance of its international subsidiaries, the group exports over 20,000 containers annually, and the total volume for 2021 exceeded US \$350 million.

In 2014, the group initiated the Hemco Auto Parts Project and collaborated with Spring JV, an American manufacturer & distributor specializing in trailer and agricultural spare parts. Hemco maintains a consistent commitment to allocating resources towards the acquisition of new equipment and tooling. This commitment is aimed at providing support to both European and American axle factories, as well as the domestic automobile industry. We also cater to the needs of trailer manufacturers, as well as individual consumers.

Hemco established its first production line in 2015. The production process of leaf springs has undergone a significant transformation through the implementation of advanced technology and automated robots. The primary procedure utilizes multi-station simultaneous processing techniques, resulting in labor and efficiency

enhancement. Robots play a significant role in reducing production costs and improving the stability of product quality.

To match the growing market demand, Hemco launched the 2nd and 3rd production lines in 2018 and 2021. Our spring portfolio then covered a full range of products, from light-duty trailer springs to heavy-duty truck and agricultural springs. At the same time, we have added a variety of special processing equipment to meet the diverse needs of customers, including taper rolling machines, stress shot peening, automatic E-coating lines, and assembly lines.

In recent years, the company has also significantly expanded its product categories, introducing new lines of products such as machining, laser cutting, bending, and stamping. By working with other holding factories of the group and Spring JV's trailer & agricultural supply chain in China maintained for decades to provide customers with one-stop purchasing convenience.

Thank you for your interest in our catalog, please email or call for your components needs and our team is ready to serve you!





PARTNER PROFILE

TRP

Formed in 1992, TRP International, LLC. is a diversified manufacturing and distribution corporation for axle and suspension components to light and medium duty trailer axle manufacturers, trailer parts distributors, and trailer builders. At TRP we talk about “filling in the white space” as a way of growing the company. This strategy allows us to expand our product offerings, participate in new market segments, and maintain a competitive position while staying close to the things we know. We accomplish this by introducing new products, enhancing current product lines, partnering with other companies or by making acquisitions. Whatever path we take, our goal is to provide our customers with an expansive line of quality products distributed on schedule at competitive prices with responsive and professional service.

Through the TRP group of companies and global partners we provide products to a variety of ground transportation equipment industries. By leveraging our expertise in the areas of Engineering, Manufacturing, International Trade and Distribution combined with a commitment to ongoing investments in technology and people, our objective is to share in the success of our customers by helping them maximize their efficiency while minimizing costs.

With over 27 years of international trade experience and qualified TRP personnel working through liaison offices in Italy and China we have the expertise necessary to communicate, consult, coordinate and execute the many facets of importing products from abroad.



EMCO

At EMCO Industries, we eat, live, and breathe spring steel. Manufacturing and distributing spring steel is our passion, and it shows in our customer satisfaction. We have been lucky enough to live our passion for over twenty years.

EMCO Industries is a different kind of leaf spring manufacturer. We don't just specialize in springs and products made from spring steel. We live and breathe them. Because of that, we are highly knowledgeable when it comes to springs. We have a vast product knowledge and know how to solve many spring-related problems. Simply come to us with your leaf spring problem, and allow our engineers to provide a solution.

We have built our business on the foundation of knowledge, continuous improvements, innovation, globalism and professionalism.

Our company focuses on lean manufacturing. Because of our focus on lean manufacturing. We are always looking for ways to cut costs and/or improve quality.

To put it simply, lean manufacturing helps us deliver products on time at competitive prices.



MAIN EQUIPMENTS



Eye Rolling



Pre-Compression



Heat Treatment



Shoot Penning



New Assembly Line



Stamping



E-coating Line



Machining



Laser Cutting



Profile Rolling



Automatic Taper Rolling Line



Bending

QUALITY ASSURANCE





Metallographic



Rigidity Test



Fatigue Test




Salt Spray Test

ENVIRONMENTAL FRIENDLY



Solar Energy





Automatic temperature control mid-frequency furnaces



Water-based quenching solution and paint



AMERICAN TRAILER LEAF SPRING

DOUBLE EYE - 13/4" WIDE



PART NUMBER	NUMBER OF LEAVES	FREE LENGTH	FREE ARCH	CAPACITY PER SPRING	WEIGHT EACH	SKID QTY.	SKID WT.	REFERENCE NUMBERS
DE-041M	3	20.00"	3.25"	1,500 lb.	9.40 lb.	200 pc.	1,878 lb.	
DE-7216	3	20.31	3.38	700	6.10	200	1,220	UNA-168, DX-720
DE-7217	3	20.38	3.18	1,000	7.00	200	1,400	UNA-169, X1020
DE-7213	4	20.50	3.38	1,400	9.30	200	1,860	UNA-167
DE-726	3	23.13	3.63	1,250	9.10	200	1,820	UNA-135
DE-729	3	23.13	3.50	1,750	11.00	200	2,200	UNA-216, 1724-3L
DE-7218	4	23.13	3.50	2,000	12.40	200	2,480	UNA-170, WAH-4
DE-113	3	23.50	3.50	1,000	9.30	200	1,860	UNA-113, 545-3L
DE-114	4	23.50	3.50	1,400	10.70	200	2,134	UNA-114, 545-4L
DE-7227	6	24.88	3.38	3,500	18.30	150	2,738	UNA-222, 1769
DE-7222	3	25.25	3.18	1,250	9.60	200	1,920	UNA-219, SW3B
DE-7242	4	25.25	3.00	1,750	11.70	200	2,348	UNA-212, SW4B SW4B,
DE-SW4B	4	25.25	3.00	1,750	11.70	200	2,340	93184
DE-7226	4	25.13	3.13	3,000	15.40	200	3,080	UNA-221
DE-7223	3	25.25	3.00	1,500	11.00	200	2,200	UNA-217
DE-7224	3	25.25	3.00	2,000	12.30	200	2,458	UNA-220, 1762, SW3
DE-7225	4	25.25	3.00	2,500	15.10	200	3,014	UNA-218, 1763, SW4
DE-1764	5	25.25	3.00	2,900	17.00	125	2,125	UNA-111, 1764, SW5
DE-SW3	3	25.25	3.00	1,750	11.70	200	2,340	UNA-220, 1762, 72-24
DE-SW4	4	25.25	3.00	2,500	13.80	200	2,760	UNA-218, 1763, 72-25
DE-SW5	5	25.25	3.00	2,950	16.30	125	2,038	UNA-111, 1764
DE-SW6	6	25.25	3.00	3,500	19.10	125	2,388	UNA-223, SW6
DE-26350	2	26.00	4.13	350	7.00	200	1,400	UNA-121, 26-350, AS2
DE-26500	3	26.00	4.12	500	9.10	200	1,820	UNA-122, 25-500, AS3
DE-261000	4	26.00	4.12	1,000	11.10	200	2,220	UNA-124, 26-1000,
DE-AWS2	2	26.00	4.25	1,000	9.90	200	1,972	AS4 UNA-049, AWS2
DE-AWS3	3	26.00	4.25	1,500	12.00	200	2,394	UNA-050, AWS3
DE-AWS4	4	26.00	4.25	2,000	14.00	200	2,798	UNA-051, AWS4
DE-AWS5	5	26.00	4.25	2,500	17.10	125	2,134	UNA-052, AWS5
DE-AWS6	6	26.00	4.25	3,000	20.30	125	2,538	UNA-053, AWS6
DE-AWS7	7	26.00	4.25	3,500	23.40	130	3,043	UNA-054, AWS7
DE-AWS8	8	26.00	4.25	4,000	27.20	125	3,400	UNA-055, AWS8
DE-33611	3	27.00	3.50	750	9.10	200	1,820	UNA-144, 15327
DE-33612	3	27.00	2.88	1,000	10.10	200	2,022	UNA-141, 20327
DE-33613	4	27.00	2.88	2,100	14.00	200	2,800	UNA-210, 35427
DE-33617	6	27.00	3.25	3,000	22.30	125	2,788	UNA-142, 60627
DE-45527	5	27.00	2.75	2,250	17.30	125	2,158	UNA-234, 45527

SLIPPER FLAT - 13/4" WIDE



PART NUMBER	NUMBER OF LEAVES	FREE LENGTH	FREE ARCH	CAPACITY PER SPRING	WEIGHT EACH	SKID QTY.	SKID WT.	REFERENCE NUMBERS
SF-047	3	24.50"	4.12"	1,675 lb.	11.00 lb.	200 pc.	2,200 lb.	UNA-047
SF-013	2	25.12	5.00	500	5.80	250	1,450	UNA-013
SF-014	3	25.12	5.00	750	7.90	250	1,975	UNA-014
SF-015	4	25.12	5.00	1,000	9.50	250	2,375	UNA-015
SF-432110	2	30.00	4.88	950	10.10	200	2,020	UNA-038, WD-2
SF-433115	3	30.00	4.88	1,500	12.50	500	6,250	UNA-039, WF-3
SF-434117	4	30.00	4.88	2,000	12.20	200	2,440	UNA-040, WG-4
SF-434118	5	30.00	4.88	2,400	18.30	150	2,745	UNA-040N, WG-5



SLIPPER OPEN - 13/4" WIDE

PART NUMBER	NUMBER OF LEAVES	FREE LENGTH	FREE ARCH	CAPACITY PER SPRING	WEIGHT EACH	SKID QTY.	SKID WT.	REFERENCE NUMBERS
SO-C1	2	26.25	3.50	800	8.30 lb.	250 pc.	2,075 lb.	UNA-261, C1
SO-C2	3	26.25	3.50	1,300	10.70	200	2,140	UNA-262, C-2
SO-C3	3	26.25	3.50	1,750	12.10	200	2,428	UNA-263, C-3
SO-C4	4	26.25	3.50	2,350	14.90	200	2,974	UNA-264, C-4
SO-C5	5	26.25	3.50	2,850	17.40	150	2,613	UNA-265, C-5
SO-C6	6	26.25	3.50	3,500	21.30	125	2,661	UNA-211, C-6
SO-C21.03	3	26.25	3.50	1,300	10.70	200	2,140	C-2
SO-C31.03	3	26.25	3.50	1,750	12.10	200	2,428	C-3
SO-C41.03	4	26.25	3.50	2,350	14.90	200	2,974	C-4
SO-C51.03	5	26.25	3.50	2,850	17.40	150	2,613	C-5
SO-C61.03	6	26.25	3.50	3,500	21.30	125	2,661	C-6



SLIPPER HOOK - 2" WIDE

PART NUMBER	NUMBER OF LEAVES	FREE LENGTH	FREE ARCH	CAPACITY PER SPRING	WEIGHT EACH	SKID QTY.	SKID WT.	REFERENCE NUMBERS
SH-7229	4	26.50"	3.18"	1,500 lb.	15.80 lb.	150 pc.	2,366 lb.	UNA-229, 60-3T3
SH-7230	4	26.50	3.00	2,000	16.40	150	2,460	UNA-230, 80-3T3
SH-7231	4	26.50	3.06	2,500	17.60	150	2,640	UNA-231, 100-3T3
SH-7232	5	26.50	3.18	3,500	20.40	125	2,550	UNA-232, 120-3T3
SH-7232RB	5	26.50	3.18	3,500	20.50	125	2,563	120-3T3 RB
SH-7233	7	26.50	3.00	4,000	27.00	125	3,375	UNA-233, 140-3T3
SH-E5226	5	26.50	3.50	3,400	20.50	125	2,563	UNA-160, 5226
SH-E5115	6	29.50	3.50	4,300	28.70	100	2,870	UNA-161, 5115



SLIPPER RADIUS - 13/4" WIDE

PART NUMBER	NUMBER OF LEAVES	FREE LENGTH	FREE ARCH	CAPACITY PER SPRING	WEIGHT EACH	SKID QTY.	SKID WT.	REFERENCE NUMBERS
SR-WC1	1	24.62"	4.50"	280 lb.	4.20 lb.	250 pc.	1,050 lb.	UNA-176, WC-1
SR-WC2	2	24.62	4.50	550	5.40	250	1,350	UNA-177, WC-2
SR-WE3	3	24.62	4.50	750	7.80	200	1,558	UNA-178, WE-3
SR-WH4	4	24.62	4.50	1,000	9.00	200	1,800	UNA-179, WH-4
SR-WI5	5	24.62	4.50	1,200	12.10	200	2,420	UNA-180, WI-5
SR-028	2	32.00	4.25	600	7.80	200	1,558	UNA-028
SR-034	3	32.00	4.25	800	10.90	200	2,180	UNA-034
SR-024	4	32.00	4.25	1,100	12.40	200	2,480	UNA-024
SR-029	5	32.00	4.25	1,400	14.40	200	2,920	UNA-029
SR-029N	6	32.00	4.25	1,750	18.30	150	2,745	UNA-029N

MOBILE HOME - 13/4" WIDE

PART NUMBER	NUMBER OF LEAVES	FREE LENGTH	FREE ARCH	CAPACITY PER SPRING	WEIGHT EACH	SKID QTY.	SKID WT.	REFERENCE NUMBERS
DE-7240	1	25.25"	3.00"	3,000 lb.	8.70 lb.	440 pc.	3,826 lb.	UNA-115, 72-40, TE-30



AUSTRALIAN TRAILER LEAF SPRING

SLIPPER SPRINGS



PART NUMBER	NUMBER OF LEAVES	FREE LENGTH	FREE ARCH	EYE TO BOLT	CAPACITY PER SPRING	WEIGHT EACH	REFERENCE NUMBERS
SS313	3	765MM	156mm	330mm	300kg	E-coating	584563
SS313G	3	765MM	156mm	330mm	300kg	HDG/Dacroment	584563G
SS413	4	765MM	156mm	330mm	360kg	E-coating	584564
SS413G	4	765MM	156mm	330mm	360kg	HDG/Dacroment	584564G
SS513	5	765MM	156mm	330mm	450kg	E-coating	584565
SS513G	5	765MM	156mm	330mm	450kg	HDG/Dacroment	584565G
SS613	6	765MM	156mm	330mm	525kg	E-coating	584566
SS613G	6	765MM	156mm	330mm	525kg	HDG/Dacroment	584566G
SS713	7	765MM	156mm	330mm	585kg	E-coating	584567
SS713G	7	765MM	156mm	330mm	585kg	HDG/Dacroment	584567G
SS913	9	765MM	156mm	330mm	800kg	E-coating	584569
SS913G	9	765MM	156mm	330mm	800kg	HDG/Dacroment	584569G

ROCKER ROLLER SPRINGS



PART NUMBER	NUMBER OF LEAVES	FREE LENGTH	FREE ARCH	EYE TO BOLT	CAPACITY PER SPRING	WEIGHT EACH	REFERENCE NUMBERS
SRR522	5	687mm	117mm	396mm/291mm	1000kg	E-coating	576450
SRR522G	5	687mm	117mm	396mm/291mm	1000kg	HDG/Dacroment	576460G
SRR722	7	687mm	117mm	396mm/291mm	1500kg	E-coating	576470
SRR722G	7	687mm	117mm	396mm/291mm	1500kg	HDG/Dacroment	576470G
SRR822	8	687mm	117mm	343mm/343mm	2000kg	E-coating	576680
SRR822G	8	687mm	117mm	343mm/343mm	2000kg	HDG/Dacroment	576680G
SRR822O	8	687mm	117mm	396mm/291mm	2000kg	E-coating	
SRR822GO	8	687mm	117mm	396mm/291mm	2000kg	HDG/Dacroment	

REBOUND SPRINGS



PART NUMBER	NUMBER OF LEAVES	FREE LENGTH	FREE ARCH	EYE TO BOLT	CAPACITY PER SPRING	WEIGHT EACH	REFERENCE NUMBERS
RSEE517	5	830mm	165mm	415mm	575kg	E-coating/HDG	
RSEE617	6	830mm	165mm	415mm	675kg	E-coating/HDG	
RSEE717	7	830mm	165mm	415mm	775kg	E-coating/HDG	
RSEE817	8	830mm	165mm	415mm	875kg	E-coating/HDG	
RSEE917	9	830mm	165mm	415mm	1000kg	E-coating/HDG	



SOUTH AFRICAN & EUROPEAN TRAILER LEAF SPRING

SOUTH AFRICAN TYPE



PART NUMBER	NUMBER OF LEAVES	FREE LENGTH	FREE ARCH	EYE TO BOLT	CAPACITY PER SPRING	WEIGHT EACH	REFERENCE NUMBERS
S02/27	2	665mm	105mm	300mm		E-coating	S02-27
S03/27	3	665mm	80mm	300mm	275kg	E-coating	S03-27
S04/27	4	665mm	80mm	300mm	375kg	E-coating	S04-27
S05/27	5	665mm	80mm	300mm	475kg	E-coating	S05-27
S06/27	6	665mm	80mm	300mm	575kg	E-coating	S06-27
S07/27	7	665mm	80mm	300mm	675kg	E-coating	S07-27
S08/27	8	665mm	80mm	300mm	800kg	E-coating	S08-27
S010/27	10	665mm	80mm	300mm	900kg	E-coating	S010-27
S08/36	8	980mm	80mm	440mm	1000kg	E-coating	S08-36
S10/36	10	980mm	80mm	440mm	1250kg	E-coating	S10-36
S05/40	5	1020mm	100mm	463mm	1500kg	E-coating	S05-40
S08/40	8	1020mm	100mm	463mm	2000kg	E-coating	S08-40
TS10/40	10	1070mm	85mm	460mm		E-coating	TS10-40
S12/40	12	1020mm	100mm	463mm	3000kg	E-coating	S12-40
TS12/40	12	1020mm	90mm	440mm		E-coating	TS12-40
S13/40	13	1020mm	100mm	463mm	4000kg	E-coating	S13-40
TSS0037	8	1165mm	80mm	-	8500kg	E-coating	
TSS0037	8	1165mm	80mm	-	8500kg	E-coating	
TSS0030	7	1165mm	80mm	-		E-coating	

EUROPEAN TYPE



PART NUMBER	NUMBER OF LEAVES	FREE LENGTH	FREE ARCH	EYE TO BOLT	CAPACITY PER SPRING	WEIGHT EACH	REFERENCE NUMBERS
EPS1L	1	945mm	116mm	417mm	280kg	E-coating	
EPS2L	2	945mm	116mm	417mm	620kg	E-coating	
EPS4699	1	765mm	62mm	300mm	500kg	E-coating	6B4699/IFOR01
EPS4590	2	765mm	62mm	300mm	900kg	E-coating	6B4590/IFOR02
ES3L	3	940mm	110mm	426mm	375kg	E-coating	6X1356.004
ES4L	4	940mm	110mm	430mm	450kg	E-coating	
ES1356	6	920mm	150mm	460mm		E-coating	6X1356.001
1737333	3	765MM	156mm	330mm	300kg	E-coating	
1737333L	3	765MM	156mm	330mm	375kg	E-coating	6X1356.010
1737334	4	765MM	156mm	330mm	360kg	E-coating	450604/6X1356.005
1737334L	4	770mm	150mm	340mm	450kg	E-coating	6X1356.011
1737335	5	765MM	156mm	330mm	450kg	E-coating	450605/6X1356.008
450904	4	922mm	165mm	461mm	375kg	E-coating	
	1	1116mm	174mm	558mm	365kg	E-coating	

AUTOMOBILE LEAF SPRING

AUTOMOBILE

	STEEL	SIZE	LENGTH	LEAVES	REFERENCE STEEL
	60Si2Mn	70X8	760+760	6	SUP6/SUP7
	60Si2Mn	70X10	790+790	8	SUP6/SUP7
	60Si2Mn	80X12	850+850	8	SUP6/SUP7
	50CrVA	80X13	890+890	9	SUP10
	51CrV4	90X13	910+910	8	SUP10
	55SiMnVB	90X15	890+890	9	SUP11
	55SiMnVB	100X12	910+910	11	SUP11
	55SiMnVB	100X13	890+890	11	SUP11



PICK-UP SPRING

	STEEL	SIZE	LENGTH	LEAVES	REFERENCE STEEL
	60Si2Mn	60X7	560+560	5	SUP6/SUP7
	60Si2Mn	60X8	560+560	7	SUP6/SUP7
	60Si2Mn	70X6	650+650	7	SUP6/SUP7
	50CrVA	70X7	650+650	8	SUP10
	51CrV4	80X10	680+680	7	SUP10
	55SiMnVB	80X12	680+680	10	SUP11
	55SiMnVB	90X11	710+710	10	SUP11
	55SiMnVB	90X13	710+710	13	SUP11
	60Si2Mn	60X7	750+750	2	SUP6/SUP7
	60Si2Mn	80X10	750+750	5	SUP6/SUP7
	60Si2Mn	80X11	810+810	8	SUP6/SUP7
	50CrVA	90X12	810+810	8	SUP10
	51CrV4	90X13	900+900	9	SUP10
	55SiMnVB	90X16	805+805	9	SUP11
	55SiMnVB	90X12	900+900	6	SUP11
	55SiMnVB	90X12	900+900	10	SUP11



LOGISTIC VAN

	STEEL	SIZE	LENGTH	LEAVES	REFERENCE STEEL
	60Si2Mn	60X6	450+450	5	SUP6/SUP7
	60Si2Mn	60X6	480+480	6	SUP6/SUP7
	60Si2Mn	60X10	650+650	6	SUP6/SUP7
	50CrVA	70X8	635+635	13	SUP10
	51CrV4	60X6.5	500+500	4	SUP10
	55SiMnVB	60X7	572+572	5	SUP11
	55SiMnVB	60X8	572+572	5	SUP11
	55SiMnVB	60X13	572+572	6	SUP11





TRA TRAILER LEAF SPRING



TRA SERIES

TRA#	TYPE	LEAVES	UNIT WEIGHT	SIZE
TRA021	PARABOLIC	1	18.5kg	35 X 76
TRA023	PARABOLIC	1	18.58kg	35 X 76
TRA035	PARABOLIC	1	18.04kg	35 X 76
TRA038	PARABOLIC	1	22.31kg	40 X 76
TRA1492	PARABOLIC	3	30kg	20 X 90
TRA2160	CONVENTIONAL	8	48.3kg	13 X 75
TRA2256	CONVENTIONAL	7	41.21kg	13 X 75
TRA2260	CONVENTIONAL	8	48.6kg	13 X 75
TRA2270	CONVENTIONAL	8	49.82kg	13 X 75
TRA2291	PARABOLIC	3	27.27kg	20 X 76
TRA2297	CONVENTIONAL	9	51.71kg	13 X 75
TRA2705	CONVENTIONAL	7	44.83kg	13 X 75
TRA2726	PARABOLIC	3	26.27kg	20 X 76
TRA2727	PARABOLIC	3	25.83kg	20 X 76
TRA2728	PARABOLIC	3	25.59kg	20 X 76
TRA2740	PARABOLIC	3	31.03kg	24 X 76
TRA2741	PARABOLIC	3	30.8kg	24 X 76
TRA2752	PARABOLIC	2	25.68kg	24 X 76
TRA2754	PARABOLIC	2	25.35kg	24 X 76
TRA3319	CONVENTIONAL	9	53.17kg	13 X 75
TRA3340	PARABOLIC	3	29.6kg	20 X 76
TRA3341	PARABOLIC	3	26.2kg	20 X 76
TRA3343	CONVENTIONAL	10	69.02kg	11 X 100
TRA693	PARABOLIC	3	25kg	20 X 76
TRA693	PARABOLIC	3	26kg	20 X 76
TRA696	CONVENTIONAL	9	51.03kg	13 X 75
TRA699	PARABOLIC	4	29.86kg	20 X 76

AGRICULTURAL LEAF SPRING



	STEEL	SIZE	FREE LENGTH	FREE ARCH	LEAVES	REFERENCE NUMBERS	REFERENCE STEEL
	60CrMnBA	100X27	1180mm	118mm	3	4171008	SUP11
	60CrMnBA	100X27	1270mm	50mm	3	4171009	SUP11
	60CrMnBA	75X25	617+570mm	120mm	5	4177008	SUP11
	60CrMnBA	75X25	617+577mm	145mm	4	935C86010300E	SUP11
	52CrMnMoV	100X48	1582mm	93mm	3	4121010	SUP13
	52CrMnMoV	100X48	1864mm	93mm	4	4121011	SUP13
	60CrMnBA	100X24	1160mm	93mm	3	4171001	SUP11
	60CrMnBA	100X27	1280mm	93mm	3	4171002	SUP11
	60CrMnBA	100X26/53	1190mm	79mm	4	4171003	SUP11
	60CrMnBA	100X30	1260mm	50mm	2	4171010	SUP11


	STEEL	SIZE	FREE LENGTH	FREE ARCH	LEAVES	REFERENCE NUMBERS	REFERENCE STEEL
	60CrMnBA	80X20	758mm	78mm	2	4188006	SUP11
	60CrMnBA	80X25	974mm	78mm	2	4188007	SUP11
	60CrMnBA	100X25	454+461mm	55mm	2	4181003	SUP11
	60CrMnBA	100X28	465+590mm	55mm	3	4181007	SUP11
	60CrMnBA	100X28	465+590mm	55mm	2	4181004	SUP11
	60Si2Mn	80X15	690mm	40mm	2	4188010	SUP6/SUP7

	STEEL	SIZE	FREE LENGTH	FREE ARCH	LEAVES	REFERENCE NUMBERS	REFERENCE STEEL
	60Si2Mn	120X14	870mm	-	13	4192004	SUP6/SUP7
	60Si2Mn	120X14/16	870mm	-	13	4192005	SUP6/SUP7
	60Si2Mn	80X15	525+635mm	55mm	6	4168001	SUP6/SUP7
	60Si2Mn	120X14	870+95mm	-	11	4192003	SUP6/SUP7
	60Si2Mn	90X16	1050mm	-	7	41A1001	SUP6/SUP7

	STEEL	SIZE	FREE LENGTH	FREE ARCH	LEAVES	REFERENCE NUMBERS	REFERENCE STEEL
	60Si2Mn	100X15	1300mm	-	10	4141005	SUP6/SUP7
	60Si2Mn	100X15	1300mm	90mm	10	4151015	SUP6/SUP7
	51CrV4	120X20	1550mm	60mm	10	4112030	SUP10
	51CrV4	100X20	1190mm	51mm	9	4151018	SUP10
	60CrMnBA	100X20/18	1181mm	78mm	10	4151019	SUP10
	51CrV4	100X20/18	1190mm	-	9	4141007	SUP10
	60CrMnBA	120X25	1849mm	100mm	9	4112020	SUP11
	51CrV4	120X20	1650mm	60mm	11	4112032	SUP10
	51CrV4	120X20	1650mm	60mm	11	4112035	SUP10
	51CrV4	100X20	1170mm	40mm	7	B11387	SUP10
	51CrV4	100X20	1070mm	40mm	5	B12054	SUP10
	51CrV4	100X20	1290mm	40mm	8	B12345	SUP10
	51CrV4	100X20	1170mm	-	7	B12494	SUP10
	51CrV4	100X20	1290mm	-	8	B12495	SUP10





LEAF SPRING FITTING




	PART NUMBER	LENGTH	HEIGHT	I.D.	UNIT WT.
	EQ-R2	5.50"	1.50"	0.563"	2.65 lb.
	EQ-310	6.06	4.00	0.563	2.85
	EQ-104	5.75	2.00	0.563	1.95
	EQ-356	6.13	2.50	0.563	2.25
	EQ-458	6.25	2.00	0.750	2.35
	EQ-105	6.75	2.00	0.563	3.45
	EQ-E1	7.75	2.88	0.563	2.75
	EQ-R89	8.00	1.75	0.563	3.35

	PART NUMBER	HEIGHT	WIDTH	THICKNESS	LENGTH	UNIT WT.
	HG-281-F	4.25"	2.25"	0.25"	3.00"	2.43 lb.
	HG-291-C	3.50	3.06	0.31	3.00	2.80
	HG-3028-R	5.37	2.25	0.25	3.00	3.32
	HG-15844-F	3.56	2.19	0.30	4.00	3.32
	HG-15863-C	3.38	3.13	0.37	3.00	3.31
	HG-15853-R	5.06	2.19	0.30	3.00	3.34

	PART NO	TUBE DIA.	SPRING WIDTH	DIMENSIONS			
				A	B	C	D
	TP-175173	1.75"	1.75"	2.19"	2.19"	3.75"	3.50"
	TP-175175	1.75	1.75	2.31	2.31	3.75	3.50
	TP-200175	2.00	1.75	2.63	2.38	4.00	5.92
	TP-238175	2.38	1.75	2.94	2.31	3.75	5.92
	TP-300175	3.00	1.75	3.62	2.38	3.75	5.92

	PART NO	DIMENSIONS				
		A	B	C	D	D
	SL-200	2.00"	3.25"	0.63"	0.22"	1.25"
	SL-225	2.25	3.50	0.63	0.22	1.25
	SL-256	2.56	3.81	0.63	0.22	1.25
	SL-275	2.75	4.00	0.63	0.22	1.25
	SL-350	3.50	4.75	0.63	0.22	1.25

	PART NUMBER	THREAD SIZE	DIMENSIONS			
			A	B	C	D
	UBR-175429-38C	3/8"-16	1.8111	4.29"	2.00"	0.24 lb.
	UBR-175429-38F	3/8"-24	1.8111	4.29"	2.00"	0.24
	UBR-175429-50F	1/2"-20	1.8111	4.29"	2.00"	0.49
	UBR-238513-44F	7/16"-20	2.44"	5.13"	2.00"	0.46
	UBR-238550-50F	1/2"-20	2.44"	5.50"	2.00"	0.62
	UBR-238625-50F	1/2"-20	2.44"	6.25"	3.00"	0.70
	UBR-300650-50F	1/2"-20	3.09"	6.50"	2.00"	0.74
	UBR-300700-50F	1/2"-20	3.09"	7.00"	2.00"	0.78
	UBR-300700-56F	9/16"-18	3.09"	7.00"	3.00"	1.02
	UBR-350800-56F	9/16"-18	3.56"	8.00"	2.00"	1.16
	UBR-500900-63C	5/8"-11	5.06"	9.00"	2.00"	1.89

SHOCK ABSORBERS



ARTICLE NUMBER	WEIGHT SINGLE AXLE	WEIGHT TWO AXLE	UNIT WEIGHT	COLOURS
SAB244087	4000 kg	7500 kg	1.3 kg	Customized
SAB244085	1350 kg	2700 kg	1.3 kg	Customized
SAB244084	900 kg	1600 kg	1.3 kg	Customized
SAB244086	2000 kg	3500 kg	1.3 kg	Customized
SAB2915402	375 kg	750 kg	1.45kg	Customized





BRAKE DRUMS



PART NUMBER	DIMENSIONS				UNIT WT.	CASE QTY.	CASE WT.
	CAPACITY	BOLT DIA.	INNER RACE	OUTER RACE			
RVD-U-5450	1,750 lb.	5 on 4.50"	L-68111	L-44610	21.10 lb.	95 pc.	2,100 lb.
RVD-U-5475	1,750	5 on 4.75"	L-68111	L-44610	21.10	95	2,100
RVD-U-5500	1,750	5 on 5.00"	L-68111	L-44610	21.10	95	2,100
RVD-U-5550	1,750	5 on 5.50"	L-68111	L-44610	21.10	95	2,100
RVD-U-6550	1,750	6 on 5.50"	L-68111	L-44610	22.00	95	2,190
RVD-H-655	3,000	6 on 5.50"	25520	15245	31.70	63	2,100
RVD-H-865	3,500	8 on 6.50"	25520	14276	37.00	54	2,100
RVD-H-865-916	3,500	8 on 6.50"	25520	14276	37.00	54	2,100

HUBS





PART NUMBER	DIMENSIONS				UNIT WT.	CASE QTY.	CASE WT.
	CAPACITY	BOLT DIA.	INNER RACE	OUTER RACE			
RVI-BT-4400	1,000 lb.	4 on 4.00"	L-44610	L-44610	16.48 lb.	504 pc.	3,265 lb.
RVI-BT-5450	1,250	5 on 4.50"	L-44610	L-44610	16.43	680	4,370
RVI-U-5450	1,750	5 on 4.50"	L-68111	L-44610	17.23	544	4,380
RVI-U-5475	1,750	5 on 4.75"	L-68111	L-44610	17.23	512	3,695
RVI-U-5500	1,750	5 on 5.00"	L-68111	L-44610	17.23	512	3,695
RVI-U-5550	1,750	5 on 5.50"	L-68111	L-44610	19.45	448	4,235
RVI-U-6550	1,750	6 on 5.50"	L-68111	L-44610	19.60	324	3,110
RVI-H-655	3,000	6 on 5.50"	25520	15245	13.74	315	4,326
RVI-H-865	3,500	8 on 6.50"	25520	14276	17.03	200	3,405
RVI-H-865-916	3,500	8 on 6.50"	25520	14276	17.03	200	3,405



DUST CAPS - RUBBER PLUG



REGULAR CUP



LUBED CUP



Rubber
Lube Plug



PART NUMBER	DESCRIPTION	DIMENSIONS		
		A	B	C
DC-178	1 3/4" Dust Cap	1.78"	1.30"	N/A
DC-200	2" Dust Cap	1.99"	1.20"	N/A
DC-200L	2" Lubed Dust Cap	1.99"	1.40"	1.18"
DC-233	2 1/3" Dust Cap	2.33"	1.00"	N/A
DC-250	2 1/2" Dust Cap	2.45"	1.34"	N/A
DC-250L	2 1/2" Lubed Dust Cap	2.45"	1.52"	1.18"
DC-275	2 3/4" Dust Cap	2.72"	1.28"	N/A
DC-275L	2 3/4" Lubed Dust Cap	2.72"	1.52"	1.18"
DC-RP	Rubber Lube Plug fits 1.18" Lubed Dust Cap Hole	1.18"	N/A	N/A

BRAKES



HYDRAULIC BRAKES

PART NUMBER	DESCRIPTION	UNIT WT.	CASE QTY.	CASE WT.
BK-40715	RH, 10" Free Backing, E-coat	9.59 lb.	156 pc.	1,602 lb.
BK-40716	LH, 10" Free Backing, E-coat	9.59	156	1,602
BK-40715X	RH, 10" Free Backing, Dacromet	9.59	156	1,602
BK-40716X	LH, 10" Free Backing, Dacromet	9.59	156	1,602
BK-42028	RH, 12" Free Backing, E-coat	14.66	117	1,822
BK-42029	LH, 12" Free Backing, E-coat	14.66	117	1,822
BK-42028X	RH, 12" Free Backing, Dacromet	14.66	117	1,822
BK-42029X	LH, 12" Free Backing, Dacromet	14.66	117	1,822
BK-18787	RH, 10" Uni-Servo, E-coat	8.49	156	1,430
BK-18788	LH, 10" Uni-Servo, E-coat	8.49	156	1,430
BK-23510	RH, 12" Uni-Servo, E-coat	13.34	117	1,666
BK-23511	LH, 12" Uni-Servo, E-coat	13.34	117	1,666




ELECTRIC BRAKES

PART NUMBER	DESCRIPTION	UNIT WT.	CASE QTY.	CASE WT.
BK-7E-01/02	LH/RH, 7"x 1 1/4" Assembly	4.10 lb.	420 pc.	1,822 lb.
BK-10E-01/02	LH/RH, 10"x 2 1/4" Assembly	9.60	168	1,637
BK-12E-01/02	LH/RH, 12"x 2" Assembly	14.80	126	2,000
BK-10E-01SA/02SA	LH/RH, 10"x 2 1/4" Self-Adjusting Assembly	9.88	168	1,732
BK-12E-01SA/02SA	LH/RH, 12"x 2" Self-Adjusting Assembly	14.75	126	1,936
BK-8KE-01/02	LH/RH, 8K, 12 1/4 "x 3 3/8", Self-Adjusting Assembly	18.56	81	1,553
BK-10KE-01/02	LH/RH, 10K, 12 1/4"x 3 3/8", Self-Adjusting Assembly	18.50	81	1,547



HOT FORGED FLANGE SPINDLE

HOT FORGED INTEGRATED FLANGE SPINDLES




DESCRIPTION				DIMENSIONS							
PART NO.	SPINDLE	CAPACITY	UNIT WT.	A	B	C	D	E	F	H	I
SP-HF-IF-84L	#84	1,750 lb.	3.29 lb.	1.95"	3.00"	6.35"	1.72"	1.376"	1.062"	2.45"	5.36"
SP-HF-IF-8455	#84	1,750	3.97	2.55"	3.00"	6.35"	1.72"	1.376"	1.062"	3.00"	5.46"
SP-HF-IFB-42L-213	#42	3,500	7.31	2.45"	3.25"	8.25"	2.13"	1.749"	1.249"	3.00"	7.25"
SP-HF-IFB-42L-225	#42	3,500	7.31	2.45"	3.25"	8.25"	2.25"	1.749"	1.249"	3.00"	7.25"

HOT FORGED INTEGRATED FLANGE DROP SPINDLES




PART NUMBER	DESCRIPTION	DIMENSIONS						UNIT WT.
		A	B	C	D	E	F	
SP-TT-IF-175	3500# Axle, 4" Drop For 2-3/8" Tube w/ Flange	1.95"	2.77"	5.36"	1.72"	1.376"	1.062"	6.63 lb.
SP-TT-175AF	3500# Axle, 4" Drop For 3" Tube w/ Flange	2.45"	2.77"	5.36"	1.72"	1.376"	1.062"	8.45
SP-UT-IFB-300-213	7000# Axle, 4" Drop For 3" Tube w/ Flange	2.45"	2.64"	7.25"	2.13"	1.749"	1.249"	12.25
SP-UT-IFB-300-225	7000# Axle, 4" Drop For 3" Tube w/ Flange	2.45"	2.64"	7.25"	2.25"	1.749"	1.249"	12.25
SP-UTH-400F	8000# Axle, 4" Drop w/ Forged Flange For 3-1/2" Tube	2.93"	3.00"	7.55"	2.25"	1.749"	1.249"	17.10

ROUND TUBE




Type 1




Type 2

DESCRIPTION					DIMENSIONS					
PART NO.	TYPE	SPINDLE	CAPACITY	UNIT WT •	A	B	C	D	E	F
SP-125BT8	1	BT8	1,000 lb.	2.25 lb.	1.25"	3.37"	8.25"	1.23"	0.999"	0.999"
SP-125BT16	1	BT16	1,250	2.25	1.25"	3.37"	8.25"	1.23"	1.062"	1.062"
SP-150BT8	1	BT8	1,000	2.75	1.50"	3.37"	8.25"	1.25"	0.999"	0.999"
SP-150BT16	1	BT16	1,250	3.00	1.50"	3.37"	8.25"	1.48"	1.062"	1.062"
SP-17584	2	#84	1,750	4.00	1.75"	3.37"	8.25"	1.72"	1.376"	1.062"
SP-20084	2	#84	1,750	5.00	2.00"	3.37"	8.25"	1.72"	1.376"	1.062"
SP-22542	2	#42	3,500	8.00	2.25"	6.00"	11.00"	2.23"	1.749"	1.249"

SQUARE TUBE



Type 1



Type 2

DESCRIPTION					DIMENSIONS					
PART NO.	TYPE	SPINDLE	CAPACITY	UNIT WT •	A	B	C	D	E	F
SP-150BT8-SQ	1	BT8	1,000 lb.	2.60 lb.	1.50"	3.32"	8.25"	1.23"	0.999"	0.999"
SP-150BT16-SQ	1	BT16	1,250	2.90	1.50"	3.32"	8.25"	1.48"	1.062"	1.062"
SP-20484-SQ w/seal ring	2	#84	1,750	3.50	1.50"	3.53"	8.25"	1.72"	1.376"	1.062"
SP-35684-SQ	2	#84	1,750	4.00	1.75"	6.05"	11.00"	1.72"	1.376"	1.062"
SP-50642-SQ w/seal ring	2	#42	3,500	5.00	2.00"	5.93"	11.00"	2.25"	1.749"	1.249"



BEARING & SEALS

PROCESSING ABILITY



HIGH ACCURACY TAPERED ROLLER BEARINGS		
	I.D.(mm)	O.D.(mm)
Inch type	d (15~60.3)	D (34.9~130 • 2)
MM type	d (15~60)	D (35~130)



CYLINDRICAL ROLLER BEARINGS		
	I.D.(mm)	O.D.(mm)
NU	d (20~60mm)	D (47~150)
NJ	d (20~60mm)	D (47~150)



ANGULAR CONTACT BALL BEARING		
	I.D.(mm)	O.D.(mm)
40°	d (15~60mm)	D (35~130)
15°	d(15~60mm)	D (35~130)



PART NUMBER	SHAFT DIAMETER	BORE DIAMETER	SEAL OD.	SEAL WIDTH
GS-1250DL	1.250"	1.979"	1.983"	0.250"
GS-1500DL	1.500"	1.983"	1.987"	0.250"
GS-1687DL	1.687"	2.561"	2.565"	0.500"
GS-1719DL	1.720"	2.561"	2.565"	0.500"
GS-2125DL	2.125"	3.372"	3.376"	0.313"
GS-2250DL	2.250"	3.371"	3.376"	0.375"


TRAILER JACKS

SWIVEL JACKS



PART NO	CAPACITY	HANDLE	TRAVEL	BRACKET HEIGHT	RETRACTED HEIGHT	N.W.
TJR2000 10	2000lbs	Top/Side	10"	11.25"	15.25"	Black/Zinc
TJR2000 15	2000lbs	Top/Side	15"	15"	20.25"	Black/Zinc
TJR5000 10	5000lbs	Top/Side	10"	11.25"	15.25"	Black/Zinc
TJR5000 15	5000lbs	Top/Side	15"	15"	20.25"	Black/Zinc
TJR7000 10	7000lbs	Top/Side	10"	11.25"	15.25"	Black/Zinc
TJR7000 15	7000lbs	Top/Side	15"	15"	20.25"	Black/Zinc

JOCKEY WHEEL



PART NO	CAPACITY	HANDLE	TRAVEL	BRACKET HEIGHT	RETRACTED HEIGHT	N.W.
TJR2000 10	2000lbs	Top/Side	10"	11.25"	15.25"	Black/Zinc
TJR2000 15	2000lbs	Top/Side	15"	15"	20.25"	Black/Zinc
TJR5000 10	5000lbs	Top/Side	10"	11.25"	15.25"	Black/Zinc
TJR5000 15	5000lbs	Top/Side	15"	15"	20.25"	Black/Zinc
TJR7000 10	7000lbs	Top/Side	10"	11.25"	15.25"	Black/Zinc
TJR7000 15	7000lbs	Top/Side	15"	15"	20.25"	Black/Zinc



TOW PARTS

2" HITCH BALL-3500KG



BALL MOUNT FOR VEHICLE



COUPLING HEAD



2.5MM-800KGS SERIES & 4.5MM-1400KGS SERIES ALL AVAILABLE
FIT 50MM/2" BALL AND 40/50/60MM TUBE
CAST COUPLINGS ALSO AVAILABLE

BOAT TRAILER ROLLERS



PART NO	DESCRIPTION	BORE	DIA.	WIDTH	COLOUR	MATERIAL
WR320	3" Ribbed Wobble 20mm	20mm	4"	3"	Customized	EVA+PP
WR326	3" Ribbed Wobble 26mm	26mm	4"	3"	Customized	EVA+PP
WR420	4" Smooth Wobble 20mm	20mm	4"	3.5"	Customized	EVA+PP
WR426	4" Smooth Wobble 26mm	26mm	4"	3.5"	Customized	EVA+PP
WR526	5" Ribbed Wobble 26mm	26mm	5"	70mm	Customized	EVA+PP



PART NO	DESCRIPTION	BORE	DIA.	WIDTH	COLOUR	MATERIAL
VB312	3" V Block	12mm	62mm	N/A	Customized	PVC/Rubber
VB415	4" V Block	15mm	100mm	N/A	Customized	PVC/Rubber
LVB12	Large V Block	12mm	102mm	N/A	Customized	PVC/Rubber
91410	2" V Block	12mm	50mm	N/A	Customized	PVC/Rubber
91411	3" V Block	14mm	70mm	N/A	Customized	PVC/Rubber
91412	4" V Block	14mm	90mm	N/A	Customized	PVC/Rubber
91413	Large V Block	20mm	110mm	Red	Customized	PVC/Rubber



PART NO	DESCRIPTION	BORE	DIA.	WIDTH	COLOUR	MATERIAL
EC313	3" Front End Cap	13mm	N/A	N/A	Customized	PA/PU/Rubber
BR317	3" Bow Roller	17mm	N/A	N/A	Customized	PA/PU/Rubber
KR417	4" Keel Roller 17mm	17mm	N/A	N/A	Customized	PA/PU/Rubber
KR617	6" Keel Roller 17mm	17mm	N/A	N/A	Customized	PA/PU/Rubber
KR817	8" Keel Roller 17mm	17mm	N/A	N/A	Customized	PA/PU/Rubber
KR822	8" Keel Roller 22mm	22mm	N/A	N/A	Customized	PA/PU/Rubber

PLASTIC FENDER



PART NO	DESCRIPTION	DIMENSIONS	Unit W.t.	COLOUR	MATERIAL
FD952530	Plastic Fencer with step	95X25X30CM	2.40 kg	Customized	PP/ABS
FD572015	Plastic Fencer Radius	50X20X15CM	0.60 kg	Customized	ABS
FD682033	Plastic Fencer Square	68X20X33CM	1.05 kg	Customized	PP
FD701934	Plastic Fencer Radius	70X19X34CM	1.00 kg	Customized	ABS
FD502014	Plastic Fencer Square	50x20x14CM	0.55 kg	Customized	PVC
FD1520230DW	Plastic Fencer Radius	152X23CM		Customized	ABS/PP

TRAILER LIGHT & PLUG

REAR LAMP & REFLECTOR




PLUG & SOCKET





TAILER RAMP


TAILER RAMP



TOOL BOX AND MUDGUARD





RV WINDOW SCREENS



Reference#	Window Call W	Vent H	Screen W*	Screen H*	Screen Sill/head*	Jamb 1*	Jamb 2*	#Of Springs
R880150150	15	15	6 3/16	13 11/32	3	8 3/4	11 9/16	1
R880180140	18	14	7 11/16	12 11/32	4 1/2	7 3/4	10 9/16	1
R880180180	18	18	7 11/16	16 11/32	4 1/2	11 3/4	14 9/16	1
R880180220	18	22	7 11/16	20 11/32	4 1/2	15 3/4	18 9/16	1
R880200240	20	24	8 11/16	22 11/32	5 1/2	17 3/4	20 9/16	2
R880220120	22	12	9 11/16	10 11/32	6 1/2	5 3/4	8 9/16	2
R880220150	22	15	9 11/16	13 11/32	6 1/2	8 3/4	11 9/16	2
R880220180	22	18	9 11/16	16 11/32	6 1/2	11 3/4	14 9/16	2
R880220240	22	24	9 11/16	22 11/32	6 1/2	17 3/4	20 9/16	2
R880240150	24	15	10	10 11/16	13 11/32	7 1/2	8 3/4	2
R880240180	24	18	10	10 11/16	16 11/32	7 1/2	11 3/4	2
R880240200	24	20	10	10 11/16	18 11/32	7 1/2	13 3/4	2
R880240220	24	22	10	10 11/16	20 11/32	7 1/2	15 3/4	2
R880290240	29	24	13	13 3/16	22 11/32	10	17 3/4	2
R880300150	30	15	13	13 11/16	13 11/32	10 1/2	8 3/4	2
R880300180	30	18	13	13 11/16	16 11/32	10 1/2	11 3/4	2
R880300200	30	20	13	13 11/16	18 11/32	10 1/2	13 3/4	2
R880300220	30	22	13	13 11/16	20 11/32	10 1/2	15 3/4	2
R880350180	35	18	16	16 3/16	16 11/32	13	11 3/4	2
R880360150	36	15	16	16 11/16	13 11/32	13 1/2	8 3/4	2
R880360180	36	18	16	16 11/16	16 11/32	13 1/2	11 3/4	2
R880360220	36	22	16	16 11/16	20 11/32	13 1/2	15 3/4	2
R880360240	36	24	16	16 11/16	22 11/32	13 1/2	17 3/4	2
R880400240	40	24	18	16 11/16	22 11/32	15 1/2	17 3/4	2
R880420123	42	12	12 3/8	19 11/16	10 23/32	16 1/2	6 1/8	2
R880480180	48	18	22	22 11/16	16 11/32	19 1/2	11 3/4	2
R880480220	48	22	22	22 11/16	20 11/32	19 1/2	15 3/4	2
R880480240	48	24	22	22 11/16	22 11/32	19 1/2	17 3/4	2
R880480290	48	29	22	22 11/16	27 11/32	19 1/2	22 3/4	2

RV SCREEN DOOR





Hebei Minmetals Co.,Ltd.

Add: No.337,XinHua Road,Shijiazhuang,Hebei,China

Tel / WhatsApp: +8617736090821

E-mail: marketing@hebeimetals.com

Website: www.hebeimetals.com

