


METALTEC®



WIRE & FENCE

M HEBEI MINMETALS CO.,LTD.





HEBEI MINMETALS CO.,LTD.

Introduction to Enterprise

Hebei Minmetals Co., Ltd. is a leading manufacturer, importer and exporter, located in Northern China's Hebei Province. Drawing on abundant local resources of steel, the company produces a wide range of metal products, including rolled fencing and fence posts, fasteners: nails and screws, building materials, lawn & garden items: trellis / borders / arbors / decorative fence, residential steel fence and gates, pet containment: kennels and pet cages, as well as auto parts, various agricultured products and hardware items.

With headquarter in Shijiazhuang, Hebei Province, the company manufacturers at numerous factories throughout China, Thailand and Chinese Taiwan, both in fully owned production facilities, Joint Venture investments, as well as factories with partial equity ownership. The products that are manufactured flow to North American, European, Asian, South American, Australian and African markets to make the company a true global entity. Additionally, the company has overseas offices and company owned distribution and marketing of its products.

Hebei Minmetals is committed to supply superior products and excellent customer service, as it serves its customers and expands into new markets.

Thanks for your support and assistance!

We remain,

Yours faithfully,

Hebei Minmetals Co., Ltd.



Hebei Wuxin Garden
Products Co., Ltd.

Add: No. 337, Xi nhua Road, Shi j i azhuang, Hebei , Chi na
Websi te: www.hebeimetals.com



Hebei Minmetals Co.,Ltd.



Hebei Haimei Hardware Products Co., Ltd.



Hebei Wuxin Wire and Netting Products Co., Ltd.



Huanghua Deke Building Material Co., Ltd.



Hebei JinMeitai Hardware Products Co., Ltd.

PRODUCT CATALOG

01



**INTRODUCTION
TO
ENTERPRISE**

15



**SQUARE
MESH**

03



**WELDED
MESH**

16



**PANEL
AND
GATE**

06




**EURO
FENCE**

20



**FENCE
POST**

09




**HEXAGONAL
WIRE
NETTING**

26



ACCESSORIES

10



**STUCCO
NETTING**

30



**WIRE/
BARBED
WIRE**

11



**CHAIN
LINK
FENCE**

33



**GARDEN
WIRE**

12



**BORDER
FENCE**

35




**DISPLAY
SHELF**

14



**STOCK
FENCE**

WELDED MESH



WELDED WIRE MESH IS MADE OF HIGH QUALITY IRON WIRE THROUGH AUTOMATIC PROCESS AND SOPHISTICATED WELDING TECHNIQUE, LAID HORIZONTALLY AND VERTICALLY, INDIVIDUALLY WELDED AT EVERY INTERSECTION. THE END PRODUCTS IS LEVEL AND FLAT WITH STURDY STRUCTURE. WELDED WIRE MESH IS EXTENSIVELY USED IN INDUSTRY AND AGRICULTURE, BUILDING, TRANSPORTATION AND MINING FOR ALL SUCH PURPOSES AS POULTRY HOUSES, EGG BASKETS, RUNWAY ENCLOSURES, DRAINING RACK, FRUIT DRYING SCREEN.



MULTIPLE CARTON:

OUTER CARTON CAN PROTECT THE INNER BOX AND GOODS, EASY TO TRANSPORT AND STOCK, INNER BOX IS VERY NICE FOR DISPLAY IN SHOPS.



WELDED UTILITY FENCE

- 4" x 2" MESH
- 14GA. WELDED STEEL FOR DURABILITY
- HOT DIPPED GALVANIZED WIRE FOR DURABILITY
- POLY-COATING OVER GALVANIZED WIRE FOR SUPERIOR DURABILITY GREEN OR BLACK, OTHER COLORS UPON REQUEST
- INDIVIDUALLY SHRINK-WRAPPED FOR PROTECTION
- INDIVIDUALLY UPC LABELED



MODEL No.	DESCRIPTION	PACKING
UF20504214	GALV.WELDED UTILITY FENCE, 14GA, 4" x 2", 2' x 50'	IN ROLL
UF30504214	GALV.WELDED UTILITY FENCE, 14GA, 4" x 2", 3' x 50'	IN ROLL
UF40504214	GALV.WELDED UTILITY FENCE, 14GA, 4" x 2", 4' x 50'	IN ROLL
UF50504214	GALV.WELDED UTILITY FENCE, 14GA, 4" x 2", 5' x 50'	IN ROLL
UF60504214	GALV.WELDED UTILITY FENCE, 14GA, 4" x 2", 6' x 50'	IN ROLL
UF21004214	GALV.WELDED UTILITY FENCE, 14GA, 4" x 2", 2' x 100'	IN ROLL
UF31004214	GALV.WELDED UTILITY FENCE, 14GA, 4" x 2", 3' x 100'	IN ROLL
UF41004214	GALV.WELDED UTILITY FENCE, 14GA, 4" x 2", 4' x 100'	IN ROLL
UF51004214	GALV.WELDED UTILITY FENCE, 14GA, 4" x 2", 5' x 100'	IN ROLL
UF61004214	GALV.WELDED UTILITY FENCE, 14GA, 4" x 2", 6' x 100'	IN ROLL
PUF20504214	POLY-COATED WELDED UTILITY FENCE, 14GA, 4" x 2", 2' x 50'	IN ROLL
PUF30504214	POLY-COATED WELDED UTILITY FENCE, 14GA, 4" x 2", 3' x 50'	IN ROLL
PUF40504214	POLY-COATED WELDED UTILITY FENCE, 14GA, 4" x 2", 4' x 50'	IN ROLL
PUF50504214	POLY-COATED WELDED UTILITY FENCE, 14GA, 4" x 2", 5' x 50'	IN ROLL
PUF60504214	POLY-COATED WELDED UTILITY FENCE, 14GA, 4" x 2", 6' x 50'	IN ROLL
PUF21004214	POLY-COATED WELDED UTILITY FENCE, 14GA, 4" x 2", 2' x 100'	IN ROLL
PUF31004214	POLY-COATED WELDED UTILITY FENCE, 14GA, 4" x 2", 3' x 100'	IN ROLL
PUF41004214	POLY-COATED WELDED UTILITY FENCE, 14GA, 4" x 2", 4' x 100'	IN ROLL
PUF51004214	POLY-COATED WELDED UTILITY FENCE, 14GA, 4" x 2", 5' x 100'	IN ROLL
PUF61004214	POLY-COATED WELDED UTILITY FENCE, 14GA, 4" x 2", 6' x 100'	IN ROLL




RABBIT FENCE AND DOG FENCE

- SPECIALLY DESIGNED FOR PROTECTION FROM RABBIT, DOG AND OTHER SMALL ANIMALS
- HORIZONTAL WIRE SPACINGS GET SMALLER TOWARDS THE GROUND
- INDIVIDUALLY SHRINK WRAPPED FOR PROTECTION
- INDIVIDUALLY UPC LABELED
- FINISH AVAILABLE: GALVANISED PVC COATED

MODEL No.	DESCRIPTION	PACKING
RBF2450	GALVANIZED RABBIT FENCE, 24"x50'	IN ROLL
RBF2850	GALVANIZED RABBIT FENCE, 28"x50'	IN ROLL
RBF4050	GALVANIZED RABBIT FENCE, 40"x50'	IN ROLL
DF1230	GALVANIZED DOG FENCE 1200MMx30M	IN ROLL
DF1210	GALVANIZED DOG FENCE 1200MMx10M	IN ROLL
DF1830	GALVANIZED DOG FENCE 1800MMx30M	IN ROLL

GALVANIZED FOR DURABILITY
POLY-COATING OVER GALVANIZED WIRE FOR SUPERIOR DURABILITY



ECONOMY WELDED FENCE

- 3" x 2" MESH OR 2" x 3" MESH
- 16GA. WELDED STEEL FOR SMALL PETS
- HOT DIPPED GALVANIZED BEFORE WELDED FOR DURABILITY
- POLY-COATING OVER GALVANIZED WIRE FOR SUPERIOR DURABILITY GREEN OR WHITE, OTHER COLORS UPON REQUEST
- INDIVIDUALLY UPC LABELED

MODEL No.	DESCRIPTION	PACKING
EF20502316	GALV.ECONOMY WELDED FENCE, 16GA., 3"x2", 2'x50'	IN ROLL
EF30302316	GALV.ECONOMY WELDED FENCE, 16GA., 3"x2", 3'x50'	IN ROLL
EF40502316	GALV.ECONOMY WELDED FENCE, 16GA., 3"x2", 4'x50'	IN ROLL
YG30503216	POLY-COATED YARD GARD, 16GA., 2"x3", 3'x50'	IN ROLL
YG40503216	POLY-COATED YARD GARD, 16GA., 2"x3", 4'x50'	IN ROLL
LF20503216	POLY-COATED LAWN FENCE, 16GA., 3"x2", 2'x50'	IN ROLL
LF30503216	POLY-COATED LAWN FENCE, 16GA., 3"x2", 3'x50'	IN ROLL
LF40503216	POLY-COATED LAWN FENCE, 16GA., 3"x2", 4'x50'	IN ROLL
LF50503216	POLY-COATED LAWN FENCE, 16GA., 3"x2", 5'x50'	IN ROLL
LF60503216	POLY-COATED LAWN FENCE, 16GA., 3"x2", 6'x50'	IN ROLL

EURO-FENCE

METALTEC EURO-GARDEN FENCE HAS BEEN WELDED WITH HOT DIP GALVANIZED WIRE AND WITH GREEN PLASTIC COATING FINISH. A CORRUGATION SITUATED IN THE MIDDLE OF THE LINE WIRES MAKES A POINT WHICH MAKES THE FENCE GOOD LOOKING AND DRAINS THE RAIN WATER. THIS ASSURES A BETTER RESISTANCE TO CORROSION. THIS RANGE OF FENCES ARE WIDELY USED FOR GARDENS, PARKS, INDUSTRY SECURITY AND PARKS. OTHER MESH OR WIRE DIAMETER AVAILABLE UPON REQUEST.



EUROFENCE

- ELECTRO WELDED WIRE MESH, PLASTIC COATED ON GALVANIZED CORE
- GREEN RAL6005 POWDER COATING
- TENSILE STRENGTH: LINE WIRES: 450-550NWT/MM²
CROSS WIRES: 600-700NWT/MM²
- MESH: 100 × 50MM
- WIRE: 2.2/1.7MM

HEIGHT	LENTGHREF	HEIGHT	LENTGHREF
60CM	10M	100CM	25M
80CM	10M	120CM	25M
100CM	10M	150CM	25M
120CM	10M	180CM	25M
60CM	25M	200CM	25M
80CM	25M		



- EUROFENCE IS THE TRADITIONAL AND ELEGANT FENCE WHICH PARTICULARLY SUITABLE FOR PRIVATE RESIDENCES, PARKS AND GARDENS.


EUROFENCE PLUS

- SAME AS EUROFENCE BUT WITH THREE TOP WIRES
- ELECTROWELDED WIRE MESH, PLASTIC COATED ON GALVANIZED CORE
- GREEN RAL6005 POWDER COATING
- TENSILE STRENGTH: LINE WIRES: 450-550NWT/MM²
CROSS WIRES: 600-700NWT/MM²
- MESH: 100 × 50MM
- WIRE: 2.2/1.7MM

HEIGHT	LENTGHREF	HEIGHT	LENTGHREF
60CM	10M	100CM	25M
80CM	10M	120CM	25M
100CM	10M	150CM	25M
120CM	10M	180CM	25M
60CM	25M	200CM	25M
80CM	25M		

- EUROFENCE PLUS IS THE TRADITIONAL AND ELEGANT FENCE WHICH PARTICULARLY SUITABLE FOR PRIVATE RESIDENCES, PARKS AND GARDENS.






LIGHT FENCE

- ELECTRO WELDED WIRE MESH, PLASTIC COATED ON GALVANIZED CORE
- GREEN RAL6005 POWDER COATING
- TENSILE STRENGTH: LINE WIRES: 450-550NWT/MM²
CROSS WIRES: 600-700NWT/MM²
- MESH: 100 × 75MM
- WIRE: 2.2/1.7MM

HEIGHT	LENGTH	HEIGHT	LENGTH
60CM	10M	60CM	25M
90CM	10M	90CM	25M
60CM	20M	100CM	25M
90CM	20M	120CM	25M
120CM	20M	150CM	25M
150CM	20M		

- LIGHT FENCE IS A GOOD COMPROMISE FENCE OF QUALITY AND PRICE FOR PRIVATE RESIDENCE, PARKS AND GARDENS.




EUROFENCE STRONG

- ELECTRO WELDED WIRE MESH, PLASTIC COATED ON GALVANIZED CORE
- WITH THREE WIRES BOTH AT TOP
- GREEN RAL6005 POWDER COATING
- TENSILE STRENGTH: LINE WIRES: 450-550NWT/MM²
CROSS WIRES: 600-700NWT/MM²
- MESH: 100 × 50MM
- WIRE: 2.5/2.0MM

HEIGHT	LENGTH	HEIGHT	LENGTH
60CM	25M	150CM	25M
80CM	25M	180CM	25M
100CM	25M	200CM	25M
120CM	25M		

- EUROFENCE STRONG IS PARTICULARLY SUITABLE FOR INDUSTRIAL AND SPORT AREAS, PARKS AND GARDENS.



PROMOFENCE

- ELECTRO WELDED WIRE MESH, PLASTIC COATED ON GALVANIZED CORE
- GREEN RAL6005 POWDER COATING
- TENSILE STRENGTH: LINE WIRES: 450-550NWT/MM²
CROSS WIRES: 600-700NWT/MM²
- MESH: 100 × 100MM
- WIRE: 2.2/1.7MM

HEIGHT	LENGTH	HEIGHT	LENGTH
100CM	20M	120CM	25M
120CM	20M	150CM	25M
100CM	25M		


- PROMOFENCE IS THE MOST ECONOMIC FENCE FOR PRIVATE RESIDENCE, GARDENS AND PARKS.

PROMOFENCE KIT

- ELECTROWELDED WIRE MESH, PLASTIC COATED ON GALVANIZED CORE
- GREEN RAL6005 POWDER COATING
- TENSILE STRENGTH: LINE WIRES: 450-550NWT/MM²
CROSS WIRES: 600-700NWT/MM²
- WITH 2.5MM DIA. GREEN COATED LINING WIRE AND NO.2 GREEN WIRE STRAINERS PACKED ON TOP OF THE FENCE
- MESH: 100 × 100MM
- WIRE: 2.2/1.7MM

HEIGHT	LENGTH	LENGTH OF LINING WIRE	No. OF STRAINERS
100CM	20M	50M	2
120CM	20M	50M	2
100CM	25M	60M	2
120CM	25M	60M	2
150CM	25M	100M	3

- PROMOFENCE KIT IS THE MOST ECONOMIC FENCE FOR PRIVATE RESIDENCE, PARKS AND GARDENS, WITH THE LINING WIRE AND STRAINERS PACKED WITH THE FENCE, IT MAKES MUCH MORE CONVENIENT FOR CONSUMERS.



FORTIFENCE

- ELECTRO WELDED WIRE MESH, PLASTIC COATED ON GALVANIZED CORE
- GREEN RAL6005 POWDER COATING
- TENSILE STRENGTH: LINE WIRES: 450-550NWT/MM²
CROSS WIRES: 600-700NWT/MM²
- MESH: 50 × 60MM


FORTIFENCE MEDIUM

HEIGHT	LENGTH	WIRE DIA.
100CM*	25M	2.5/2.0MM
120CM*	25M	2.5/2.0MM
150CM	25M	2.5/2.0MM
180CM	25M	2.5/2.0MM
200CM	25M	2.5/2.0MM

FORTIFENCE STRONG

HEIGHT	LENGTH	WIRE DIA.
100CM*	25M	3.0/2.5MM
120CM*	25M	3.0/2.5MM
150CM	25M	3.0/2.5MM
180CM	25M	3.0/2.5MM
200CM	25M	3.0/2.5MM

- MARKED HEIGHTS ARE WITHOUT THE DEFENSIVE BARBS ON THE TOP.
- FORTIFENCE IS THE MOST STRONG AND SECURED FENCE FOR INDUSTRY AND SPORT AREAS, SCHOOLS, ECT.



HEXAGONAL WIRE NETTING

HEXAGONAL WIRE NETTINGS PRODUCED WITH SUPERIOR QUALITY OF LOW CARBON IRON WIRE, NORMALLY GALVANIZED OR PLASTIC COATED FOR LONG LIFE. THE MESH IS FIRM IN STRUCTURE AND HAS FLAT SURFACE. HEXAGONAL, WIRE NETTING IS EXTENSIVELY USED IN INDUSTRIAL AND AGRICULTURAL CONSTRUCTIONS. ALSO IT CAN BE USED AS FENCE FOR POULTRY CAGE, FISHING, GARDEN, CHILDREN PLAYGROUND AND CHRISTMAS DECORATIONS.

FOR FINISH:

WE CAN SUPPLY THE FOLLOWING KIND:

- HOT-DIPPED GALVANIZED AFTER WEAVING
- HOT-DIPPED GALVANIZED BEFORE WEAVING
- ELECTRIC GALVANIZED AFTER WEAVING
- ELECTRIC GALVANIZED BEFORE WEAVING
- IN STAINLESS STEEL
- PLASTIC COATED



HEX.WIRE NETTING IN PVC-COATED		
(IN LENGTH OF 5M,10M,25M,30M,WIDTH OF 0.5M,1.0M,1.2M,1.5M)		
MESH		WIRE GAUGE
INCH	MM	(BWG)
1/2"	13MM	0.9MM,1.0MM
5/8"	16MM	0.9MM,1.0MM
3/4"	19MM	0.9MM,1.0MM
1"	25MM	1.0MM,1.2MM,1.4MM
1-1/2"	40MM	1.0MM,1.2MM,1.4MM,1.6MM
2"	50MM	1.0MM,1.2MM,1.4MM,1.6MM,2.0MM

PACKING:

- IN ROLLS, WRAPPED BY WATER-PROOF PAPER, OR SHRINK WRAPPED.


REMARK:

- SIZES OTHER THAN THOSE ABOVE-MENTIONED MAY BE MADE TO ORDER AFTER CONSIDERATION.


HEX.WIRE NETTING IN NORMAL TWIST(GALVANISED)		
(IN 5m,10m,25m,30m,50m,100m,TO 3000m,ROLL,WIDTH OF 0.5m-2.0m)		
MESH		WIRE GAUGE
INCH	MM	(BWG)
3/8"	10MM	27,26,25,24,22,21,
1/2"	13MM	27,26,25,24,22,21,20,
5/8"	16MM	27,26,25,24,22,
3/4"	20MM	25,24,22,21,20,19,
1"	25MM	25,24,22,21,20,19,18
1-1/4"	30MM	22,21,20,19,18
1-1/2"	40MM	22,21,20,19,18,17
2"	50MM	22,21,20,19,18,17,16,15,14
3"	75MM	21,20,19,18,17,16,15,14
4"	100MM	17,16,15,14

HEX.WIRE NETTING IN REVERSE TWIST (GALVANISED)		
(IN 5m,10m,25m,30m,50m,100m,TO 3000m,ROLL,WIDTH OF 0.5m-2.0m)		
MESH		WIRE GAUGE
INCH	MM	(BWG)
1"	25MM	22,21,20,19,18
1-1/4"	30MM	22,21,20,19,18
1-1/2"	40MM	20,19,18,17
2"	50MM	20,19,18,17,16
3"	75MM	20,19,18,17,16





STUCCO NETTING





WEATHER RESISTIVE
PAPER BACKING

WOVEN WIRE
REINFORCEMENT

SELF-FURRED PAPERBACK STUCCO NETTING

REVERSE TWIST, 36IN. WIDE ROLLS,
GALVANIZED BEFORE WEAVING

MESH SIZE	GAUGE	FEET PER ROLL
1-1/2"	17	100
1"	20	100



SELF-FURRED STUCCO NETTING

REVERSE TWIST, 36IN. WIDE ROLLS,
GALVANIZED BEFORE WEAVING

MESH SIZE	GAUGE	FEET PER ROLL
1"	18	150
1"	20	150
1-1/2"	17	150

INSULATION WIRE NETTING

PRODUCED WITH PRE HOT DIP GALVANIZED WIRE OR
STAINLESS WIRE ACCORDING TO EU STANDARDS, THIS
INSULATION NET APPLIED TO ROCK WOOL OR GLASS
WOOL FOR THE WIRED MATS.

HEBEI MINMETALS HAS A WIDE RANGE WITH LENGTH
UP TO 3000METERS AND HAS BEEN APPROVED AS THE
QUALITY VENDOR BY THE WORLD LEADING
MANUFACTURES.



TECHNICAL DATA:

MESH	WIRE DIA.	WIDTH(MM)	LENGTH(M)
25MM	0.7MM	485;500;600;1000;1200	200;300;800;2800;3000

● OTHER SIZES MAY AVAILABLE UPON REQUEST.

PACKING:

● WITH OR WITHOUT TUBE INSIDE AND PACKED ON PALLETS.

CHAIN LINK FENCE

CHAIN LINK FENCE IS PRODUCED WITH QUALITY GALVANISED WIRE OR PLASTIC COATED WIRE AND NORMALLY USED FOR PROTECTION, SECURITY AND LASTING FENCING.



GALVANISED CHAIN LINK FENCE

SIZE	MESH	WIRE GAUGE	WIDTH	LENGTH
2"	50MM	BWG 8,9,10,11,12,13	0.5-3M	5M-25M
2-1/2"	60MM	BWG 8,9,11,12	0.5-3M	5M-25M

PACKING:

- IN ROLLS. SPECIAL PACKING MAY BE ARRANGED UPON REQUEST.

REMARK:

- SIZES OTHER THAN THOSE ABOVE MENTIONED MAYBE MADE TO ORDER AFTER CONSIDERATION.

PLASTIC COATED CHAIN LINK FENCE

MESH	WIDTH	LENGTH
60X60MM	0.5-3M	10-25M
50X50MM	0.5-3M	10-25M
50X50MM	0.5-3M	10-25M

PACKING:

- IN ROLLS. SPECIAL PACKING MAY BE ARRANGED UPON REQUEST.

REMARK:

- SIZES OTHER THAN THOSE ABOVE MENTIONED MAYBE MADE TO ORDER AFTER CONSIDERATION.





THE WEAVING FENCE WITH SCROLLED TOP FOR DECORATION.
GREEN COLOR PLASTIC COATED ON GALVANIZED CORE.
CORRUGATED VERTICAL WIRES FOR DECORATION.

BORDER FENCE

HEIGHT	LENGTH	HEIGHT	LENGTH
25CM	10M	40CM	25M
40CM	10M	65CM	25M
65CM	10M	90CM	25M
90CM	10M	120CM	25M
120CM	10M		



ROLLED BORDER FENCE

MODEL NO.	DESCRIPTION	PACKING
RBF 1420W	ROLLED BORDER FENCE WHITE 14"x20'	6 ROLLS PER CARTON
RBF 1420G	ROLLED BORDER FENCE GREEN 14"x20'	6 ROLLS PER CARTON



BORDER FENCE

SCROLL TOP BORDER

- FLOWER & PLANT BORDER
- ATTRACTIVE AND FUNCTIONAL
- SELF-STAKING FEATURE ALLOWS FOR QUICK & EASY SET-UP
- WHITE OR GREEN, POLY-COATED FOR DURABILITY
- INDIVIDUALLY SHRINK-WRAPPED FOR PROTECTION
- INDIVIDUALLY UPC LABELED



MODEL NO.	DESCRIPTION	PACKING
STB1420W	SCROLL TOP BORDER,WHITE,14"x20'	6 ROLLS PER CARTON
STB1420G	SCROLL TOP BORDER,GREEN,14"x20'	6 ROLLS PER CARTON



PICK-IT-GARD

- UNIQUE, DECORATIVE WIRE PATTERN
- SELF-STAKING FEATURE ALLOWS FOR QUICK & EASY SET-UP
- WHITE OR GREEN, POLY-COATED FOR DURABILITY
- INDIVIDUALLY SHRINK-WRAPPED FOR PROTECTION
- INDIVIDUALLY UPC LABELED

MODEL NO.	DESCRIPTION	PACKING
PIG 1420W	PICK-IT-GARD,WHITE,14"x20'	6 ROLLS PER CARTON
PIG 1420G	PICK-IT-GARD,GREEN,14"x20'	6 ROLLS PER CARTON



FLAT TOP GARDEN BORDER

MODEL NO.	DESCRIPTION	PACKING
FTB1425G	FLAT TOP FLOWER BORDER,GREEN,14"x25'	6 ROLLS PER CARTON
FTB1425W	FLAT TOP FLOWER BORDER,WHITE,14"x25'	6 ROLLS PER CARTON
FTB2425G	FLAT TOP FLOWER BORDER,GREEN,24"x25'	4 ROLLS PER CARTON
FTB2425W	FLAT TOP FLOWER BORDER,WHITE,24"x25'	4 ROLLS PER CARTON




STOCK FENCE

THE FENCE IS PRODUCED WITH HOT DIP GALVANIZED STEEL WIRES. THIS IS ANOTHER EFFECTIVE, ECONOMIC WILDLIFE-PROOF FENCE. IT CAN BE USED AS THE BARRIER ALONG THE ROADSIDE TO PROTECT ANIMALS AWAY OR AS THE FENCE IN THE FARMLAND.

- TOP AND BOTTOM WIRE: 2.5MM
- ALL OTHER WIRES: 2.0MM
- IN LENGTH OF 50M ROLL



SIZES AVAILABLE:



- USES: THE FENCE FOR FIELD, MEADOWS, PASTURES AND ORCHARDS.



SQUARE IRON WIRE MESH IS MADE OF SELECTED LOW CARBON IRON WIRE WITH PRECISION CONSTRUCTION, UNIFORM MESH, FINE RUST RESISTANCE AND DURABLE SERVICE. IT IS EXTENSIVELY USED IN INDUSTRIES AND CONSTRUCTIONS TO SIEVE GRAIN POWDER, FILTER LIQUID AND GAS, FOR OTHER PURPOSES LIKE SAFETY GUARDS ON MACHINERY ENCLOSURES. BESIDES, IT IS WIDELY SUBSTITUTE FOR WOOD STRIPS IN MAKING WALL AND CEILING.

ASSORTMENTS AVAILABLE:

- HOT DIPPED GALVANIZED AFTER WEAVING.
- HOT DIPPED GALVANIZED BEFORE WEAVING.
- ELECTRIC GALVANIZED AFTER WEAVING.
- ELECTRIC GALVANIZED BEFORE WEAVING.
- PLASTIC COATED..

NORMALLY SPECIFICATIONS AVAILABLE				
MESH	WIRE GAUGE (BWG)	WIDTH	LENGTH	PACKING
2x2MESH	16,17,18,19,20,21	0.5M-1.5M	25M,30M	IN ROLL
3x3MESH	19,20,21,22	0.5M-1.5M	25M,30M	IN ROLL
4x4MESH	20,21,22,23,24,	0.5M-1.5M	25M,30M	IN ROLL
5x5MESH	22,23,24,25,26	0.5M-1.5M	25M,30M	IN ROLL
6x6MESH	22,23,24,25,26	0.5M-1.5M	25M,30M	IN ROLL
7x7MESH	23,24,25,26	0.5M-1.5M	25M,30M	IN ROLL
8x8MESH	24,25,26,27	0.5M-1.5M	25M,30M	IN ROLL
10x10MESH	26,27,28,29,30	0.5M-1.5M	25M,30M	IN ROLL
12x12MESH	26,27,28,29,30	0.5M-1.5M	25M,30M	IN ROLL
20x20MESH	31,32,33,34	0.5M-1.5M	25M,30M	IN ROLL
30x30MESH	32,33,34	0.5M-1.5M	25M,30M	IN ROLL

- **PACKING:**
EACH ROLL WRAPPED WITH WATER PROOF PAPER, THEN COVERED WITH HESSIAN CLOTH. EACH ROLL SHRINK WRAPPED. SPECIAL PACKING CAN BE ARRANGED AFTER CONFIRMATION.

- **REMARK:**
SIZES OTHER THAN THOSE ABOVE MENTIONED CAN BE MADE TO ORDER AFTER CONSIDERATION.



PANEL AND GATE

PANELS IS BECOMING A MORE AND MORE POPULAR FENCE FOR PRIVATE RESIDENCE, GARDENS, PARKS, SPORT AREA AND INDUSTRIAL USE. THE PANELS ARE NOW AVAILABLE. PANELS ARE NOW AVAILABLE. THE METALTEC RANGE PANELS ARE MADE WITH GALVANIZED WIRES AND THEN POLYESTER PLASTIC COATED. BESIDES THE NORMAL RAL 6005 COLOUR, OTHER RAL COLOURS MAY ALSO BE AVAILABLE UPON REQUEST.



FORTI-PANEL

THE FORTI-PANEL GATES ARE MADE WITH HOT DIP GALVANIZED SQUARE TUBE WITH FRAMES, INSIDE FENCE TO MATCH THE PANEL. ZINC-PHOSPHATED AND POWDER COATED IN DIFFERENT COLOURS, ONE SET PER SALES PACKING.

TYPE AVAILABLE:

- FORTI-SUPER: MESH: 200 × 50MM; WIRE DIA.: 5MM
- FORTI-STRONG: MESH: 200 × 50MM; WIRE DIA.: 4.5MM
- FORTI-STANDARD: MESH: 100 × 50MM; WIRE DIA.: 4.5MM
- FORTI-PROMO: MESH: 100 × 50MM; WIRE DIA.: 4MM
- OTHER MESH AVAILABLE: 100 × 55MM; 200 × 55MM; 200 × 65MM

SIZES AVAILABLE:

FENCE HEIGHT(MM)	FENCE LENGTH(MM)	No. OF "V" FOLDINGS
830	2000 OR 2500	2
1030	2000 OR 2500	2
1230	2000 OR 2500	2
1530	2000 OR 2500	3
1830	2000 OR 2500	4
2030	2000 OR 2500	4


- OTHER SIZE MAYBE AVAILABLE ON REQUEST.

DOUBLE WIRE PANEL

THE DOUBLE WIRE PANEL IS MANUFACTURED FROM GALVANIZED STEEL WIRE WITH HIGH PROTECTION POWDER COATING OR HOT DIP GALVANIZED AFTER WELDING. WITH ITS STRENGTH BY USING 2 HORIZONTAL WIRES THIS PANEL IS RECOMMENDED FOR USES AS A PROTECTION FOR SCHOOL PREMISES, AND AS FENCING FOR COMMERCIAL OR ADMINISTRATIVE SITES; OFFICES, WAREHOUSES, SHOPS ETC.

TYPE AVAILABLE:

- 8/6/8MM AND 6/5/6MM
- MESH: 200 × 50MM; 200 × 55MM; 200 × 65MM
- HEIGHT: 0.63MM TO 2.23MM
- LENGTH: 2000MM OR 2500MM



EURO-PANEL

MANUFACTURED FROM PRE HOT DIP GALVANIZED WIRE, ZINC-PHOSPHATED AND THEN POWDER COATED IN DIFFERENT COLOURS. THIS PANEL HAS THE FRAME WIRE OF 8MM, HORIZONTAL WIRE OF 6MM AND VERTICAL WIRE IN 4MM, IT'S ECONOMIC AND IDEAL FOR GARDEN, PARKS ETC.

TYPE AVAILABLE:

- MESH: 250 × 50MM
- HEIGHT: 0.50M TO 1.75M
- LENGTH: 2000MM




DECO WIRE PANEL

THE DECO WIRE PANEL IS MANUFACTURED FROM GALVANIZED STEEL WIRE WITH HIGH PROTECTION POWDER COATING OR HOT DIP GALVANIZED AFTER WELDING. WITH ITS STRENGTH BY USING 2 HORIZONTAL WIRES AND DECORATION AT TOP, THIS PANEL IS IDEAL FOR GARDEN, PARKS ETC.

TYPE AVAILABLE:

- WIRE: 5/5/5MM
- MESH: 250X62.6MM
- HEIGHT: 780/1030/1280MM
- LENGTH: 2000MM



GARDEN GATE

MADE OF HOT DIP GALVANIZED ROUND STEEL TUBE OR SQUARE STEEL TUBE. ZINC PHOSPHATED AND POWDER COATED IN GREEN COLOUR. COMPETE SET SHRINK PACKED READY FOR THE DIY ASSEMBLY.

GARDEN GATE WITH ROUND FRAME



SINGLE GATE

HEIGHT(MM)	WIDTH(MM)
800	1000/1250/1500
1000	1000/1250/1500
1250	1000/1250/1500
1500	1000/1250/1500
1750	1000/1250/1500
2000	1000/1250/1500

DOUBLE GATE

HEIGHT(MM)	WIDTH(MM)
800	2X1500/2X2000
1000	2X1500/2X2000
1250	2X1500/2X2000
1500	2X1500/2X2000
1750	2X1500/2X2000
2000	2X1500/2X2000

GARDEN GATE WITH SQUARE FRAME



ECO GATE

FRAME MADE FROM ROUND TUBE OF 30MM WITH POST OF 48MM, INSIDE MESH OF 100 × 50MM, ZINC-PHOSPHATED AND GREEN POWDER COATED. THIS GATE IS IDEAL FOR GARDENS OR PARKS.

SIZES AVAILABLE:

● 1 × 1M; 1 × 1.2M; 1 × 1.5M




FENCE POST

METALTEC FENCE POST / FITTINGS HAS A WIDE CHOICE FOR CUSTOMERS LIKE T-POST, U-POST, ROUND PIPE POST, Y-POST ETC EITHER IN PAINTED OR POWDER COATED. THE FULL RANGE OF FITTINGS ALSO AVAILABLE. ALL THIS MADE CONSUMERS MORE EASIER TO ERECT THEIR FENCE OR WIRE PANELS. OTHERS MAY ALSO AVAILABLE UPON REQUEST.

EURO-PIPE-POST


- MADE OF CIRCULAR TUBE, ZINC-PHOSPHATED AND POWDER COATED IN GREEN RAL 6005.
- PACKING: IN CARTONS

DIAMETRE X LENGTH	WIRE HOLDER	FOR NETTING HEIGHT(MM)	DIAMETRE X LENGTH	WIRE HOLDER	FOR NETTING HEIGHT(MM)
34x900	2	500	40x1500	3	1000
34x950	2	600	40x1750	3	1250
34x1200	3	800	40x2000	3	1500
34x1500	3	1000	40x2250	3	1750
34x1750	3	1250	40x2500	4	2000
34x2000	3	1500			



EURO BRACE POST

- MADE OF CIRCULAR STEEL TUBE, ZINC-PHOSPHATED AND POWDER COATED IN GREEN RAL 6005.
- PACKING: IN CARTONS



DIA.XLENGTH(MM)	DIA.XLENGTH(MM)
34x1200	40x1200
34x1500	40x1500
34x1750	40x1750
34x2000	40x2000
34x2250	40x2250
34x2500	40x2500

SQUARE POST RANGE

SQUARE-POST IS MANUFACTURED FROM 40X60MM OR 40 × 40MM HOT DIP GALVANIZED SQUARE TUBE, POWDER COATED OR BLACK TUBE AND HOT DIP GALVANIZED AFTER. WITH FENCE HOLDERS FIXED ON, IT IS IDEAL FOR MANY TYPE OF PANELS.

- LENGTH AVAILABLE FROM 1000MM TO 2600MM
- COLOUR: RAL6005; RAL7016

SQUARE POST



PIPE (MM)	LENGTH (MM)	FOR FENCE HEIGHT (MM)
40/40	1000	630
40/40	1250	830
40/40	1500	1030
40/40	1700	1230
40/40	2000	1430
40/40	2200	1630
40/40	2600	1830
40/40	3000	2400

SQUARE CORNER POST



PIPE (MM)	LENGTH (MM)	FOR FENCE HEIGHT (MM)
40/40	1000	630
40/40	1250	830
40/40	1500	1030
40/40	1700	1230
40/40	2000	1430
40/40	2200	1630
40/40	2600	1830
40/40	3000	2400

SQUARE POST WITH PLATE



PIPE (MM)	LENGTH (MM)	FOR FENCE HEIGHT (MM)
60/40	1200	630
60/40	1400	830
60/40	1600	1030
60/40	1800	1230
60/40	2000	1430
60/40	2200	1630
60/40	2400	1830
60/40	2600	2030
60/40	2800	2230
60/40	3000	2430

SQUARE CORNER POST WITH PLATE



PIPE (MM)	LENGTH (MM)	FOR FENCE HEIGHT (MM)
60/40	1200	630
60/40	1400	830
60/40	1600	1030
60/40	1800	1230
60/40	2000	1430
60/40	2200	1630
60/40	2400	1830
60/40	2600	2030
60/40	2800	2230
60/40	3000	2430

EASY-POST

THE POSTS ARE SUITABLE FOR DIFFERENT FENCE PANEL, DON'T NEED ANY FITTINGS AND HARDWARE, THAT COMBINE EASY INSTALLATION, STYLISH DESIGN, A WIDE RANGE, STURDINESS AND RESISTANCE AND A HIGH QUALITY FINISH.



MULTI-POST

TO MAKE THE FENCING MORE EASY AND SIMPLE IN YOUR GARDEN. YOU CAN HARDLY REFUSE THE NEWLY DESIGNED THE MULTI-POST BY HEBEI MINMETALS. WHATEVER KIND OF FENCES YOU MAY ERECT JUST ONE TYPE OF OUR MULTI-POST WILL MEET YOUR DEMAND, IT CAN BE USED AS THE POST FOR ALL OUR DIFFERENT TYPE OF EURO-FENCE, EUROPANEL, CHAIN LINK FENCE AS WELL AS OTHER FENCES.

SIZE AVAILABLE

DIA.(MM)	LENGTH(MM)	THICKNESS(MM)
48	900	1.5
48	1000	1.5
48	1250	1.5
48	1500	1.5
48	1750	1.5
48	2000	1.5
48	2300	1.5
48	2500	1.5



FOR PANEL



FOR EUROFENCE




FOR CHAIN LINK FENCE



FOR FORTIFENCE




FOR CHAIN LINK FENCE



FOR PANEL



T-POST

LENGTH(M)	SECTION (MM)
0.75	30×30
1.00	30×30
1.20	30×30
1.45	30×30
1.75	30×30
2.00	30×30
2.25	30×30
2.50	30×30




L-POST

LENGTH(M)	SECTION (MM)
1.00	25×25
1.20	25×25
1.50	25×25
1.75	25×25
2.00	25×25
2.25	25×25



MULTI-STAKE


- MADE OF CIRCULAR STEEL TUBE AND PVC COATED WITH POINTED END.
- SPECIAL CAP FOR MULTI USES IN GARDEN.
- SIZE: 16 × 800MM; 16 × 1000MM; 16 × 1250MM; 16 × 1500MM; 16 × 1750MM; 16 × 2000MM



DAN-POST

- MADE WITH WHORL STEEL BAR FOR EASY CONNECTION WITH NETTING AND A SPECIAL PLASTIC CAP TO HOLD THE WIRE.
- FINISH: HOT DIP GALVANIZED: DIP-PAINTED IN GREEN, RED, YELLOW
- OTHER COLORS AND SIZES MAYBE AVAILABLE UPON REQUEST.

DIA.(MM)	LENGTH(MM)	WEIGHT(KG)
8	1100	0.45
8	1450	0.60
10	1100	0.60
10	1450	0.8



T POST (AMERICAN TYPE)

- USED FOR FENCING OF FARM. GARDEN AND COMMERCIAL OR INDUSTRIAL SITES
- MADE OF RAIL STEEL
- WITH A RUGGED ANCHOR PLATE LOCKS. WHICH MAKE THE TEE POST FIRMER AND SUITABLE FOR ANY TYPE OF SOIL.
- WEATHER RESISTANT BY GREEN POWDER-COATING OR GREEN PAINTING.
- OTHER COLOR UPON REQUEST.
- INDIVIDUALLY UPC LABELED


MODEL NO.	DESCRIPTION	PACKING
TPH050	HEAVY DUTY,1.33 POUNDS/FOOT,TEE POST,5 FEET	200 PIECES PER PALLET
TPH055	HEAVY DUTY,1.33 POUNDS/FOOT,TEE POST,5.5 FEET	200 PIECES PER PALLET
TPH060	HEAVY DUTY,1.33 POUNDS/FOOT,TEE POST,6 FEET	200 PIECES PER PALLET
TPH065	HEAVY DUTY,1.33 POUNDS/FOOT,TEE POST,6.5 FEET	200 PIECES PER PALLET
TPH070	HEAVY DUTY,1.33 POUNDS/FOOT,TEE POST,7 FEET	200 PIECES PER PALLET
TPH080	HEAVY DUTY,1.33 POUNDS/FOOT,TEE POST,8 FEET	200 PIECES PER PALLET
TPM050	MEDIUM DUTY,1.25 POUNDS/FOOT,TEE POST,5 FEET	200 PIECES PER PALLET
TPM055	MEDIUM DUTY,1.25 POUNDS/FOOT,TEE POST,5.5 FEET	200 PIECES PER PALLET
TPM060	MEDIUM DUTY,1.25 POUNDS/FOOT,TEE POST,6 FEET	200 PIECES PER PALLET
TPM065	MEDIUM DUTY,1.25 POUNDS/FOOT,TEE POST,6.5 FEET	200 PIECES PER PALLET
TPM070	MEDIUM DUTY,1.25 POUNDS/FOOT,TEE POST,7 FEET	200 PIECES PER PALLET
TPM080	MEDIUM DUTY,1.25 POUNDS/FOOT,TEE POST,8 FEET	200 PIECES PER PALLET
TPL050	LIGHT DUTY,0.95 POUNDS/FOOT,TEE POST,5 FEET	200 PIECES PER PALLET
TPL055	LIGHT DUTY,0.95 POUNDS/FOOT,TEE POST,5.5 FEET	200 PIECES PER PALLET
TPL060	LIGHT DUTY,0.95 POUNDS/FOOT,TEE POST,6 FEET	200 PIECES PER PALLET
TPL065	LIGHT DUTY,0.95 POUNDS/FOOT,TEE POST,6.5 FEET	200 PIECES PER PALLET
TPL070	LIGHT DUTY,0.95 POUNDS/FOOT,TEE POST,7 FEET	200 PIECES PER PALLET
TPL080	LIGHT DUTY,0.95 POUNDS/FOOT,TEE POST,7.5 FEET	200 PIECES PER PALLET



U POST

- GREEN POLY-COATED FOR DURABILITY.
- POSTS CAN BE BOLTED TOGETHER FOR EXTRA SUPPORT
- SPECIAL CHANNEL, CONSTRUCTION FOR MAXIMUM STRENGTH
- INDIVIDUALLY UPC LABELED

MODEL NO.	DESCRIPTION	PACKING
UPL03	LIGHT DUTYU FENCE POST,POLY GREEN,3 FEET	10PCS/BUNDLE,200PALLET
UPL04	LIGHT DUTYU FENCE POST,POLY GREEN,4 FEET	10PCS/BUNDLE,200PALLET
UPL05	LIGHT DUTYU FENCE POST,POLY GREEN,5 FEET	10PCS/BUNDLE,200PALLET
UPL06	LIGHT DUTYU FENCE POST,POLY GREEN,6 FEET	10PCS/BUNDLE,200PALLET
UPH05	HEAVY DUTYU FENCE POST,POLY GREEN,5 FEET	5PCS/BUNDLE,100PALLET
UPH06	HEAVY DUTYU FENCE POST,POLY GREEN,6 FEET	5PCS/BUNDLE,100PALLET
UPH07	HEAVY DUTYU FENCE POST,POLY GREEN,7 FEET	5PCS/BUNDLE,100PALLET
UPH08	HEAVY DUTYU FENCE POST,POLY GREEN,8 FEET	5PCS/BUNDLE,100PALLET



STAR PICKET

- WEATHER RESISTANT BY BLACK PAINTED OR GALVANIZED
- WEIGHT PER METER: 2.04KG; 1.90KG; 1.58KG
- MADE OF PLAIN CARBON STEEL

SIZE AVAILABLE

MODEL No.	DESCRIPTION	PACKING
SP045	S STEEL FENCE POST, 45CM	10PCS/BUNDLE,400PCS/PALLET
SP090	S STEEL FENCE POST, 90CM	10PCS/BUNDLE,400PCS/PALLET
SP135	S STEEL FENCE POST, 135CM	10PCS/BUNDLE,400PCS/PALLET
SP150	S STEEL FENCE POST, 150CM	10PCS/BUNDLE,400PCS/PALLET
SP165	S STEEL FENCE POST, 165CM	10PCS/BUNDLE,400PCS/PALLET
SP180	S STEEL FENCE POST, 180CM	10PCS/BUNDLE,400PCS/PALLET
SP240	S STEEL FENCE POST, 240CM	10PCS/BUNDLE,200PCS/PALLET

Y POST


- WEATHER RESISTANT BY BLACK PAINTED OR GALVANIZED
- WEIGHT PER METER: 2.0KGS \pm 4%; 1.87KGS \pm 4%
- MADE OF PLAIN CARBON STEEL

SIZE AVAILABLE (2.0KGS/M \pm 4%)

MODEL No.	LENGTH(M)	WEIGHT(KGS)	PACKING
YP150	1.5	3.00	400PCS/PALLET
YP180	1.8	3.60	400PCS/PALLET
YP200	2.0	4.00	200PCS/PALLET
YP210	2.1	4.20	200PCS/PALLET
YP250	2.5	5.00	200PCS/PALLET
YP300	3.0	6.00	200PCS/PALLET

SIZE AVAILABLE (1.87KGS/M \pm 4%)

MODEL No.	LENGTH(M)	WEIGHT(KGS)	PACKING
YP150	1.5	2.805	400PCS/PALLET
YP180	1.8	3.366	400PCS/PALLET
YP200	2.0	3.740	200PCS/PALLET
YP210	2.1	3.927	200PCS/PALLET
YP250	2.5	4.675	200PCS/PALLET
YP300	3.0	5.610	200PCS/PALLET



ACCESSORIES



FA001
**BRACKET FOR STRETCHING
BARS AND BRACES**

SIZE:
DIA.32MM,34MM,38MM,40MM,50MM,60MM



FA002
BRACE CAP

SIZE:
DIA.32MM,34MM,40MM,60MM




FA004
WIRE HOLDER



FA005
BRACKET FOR BRACES

SIZE:
DIA. : 32MM,34MM,38MM,
40MM,50MM,60MM




FA003
STRETCHING BARS

SIZE:
6× 850MM
6× 1050MM
6× 1300MM
6× 1550MM
6× 1800MM
6× 2050MM



FA006
COVER CAPS

SIZE:
DIA.32MM, 40MM,
34MM, 50MM,
38MM, 60MM



PC005




PC006



PC007



PC008



PC009



PC010



PC011



PC012

WIRE STRAINER


- ENSURE THE TENSION OF THE WIRES WHEN ERECTING FENCES.
- H.D. GALVANIZED AND E. GALVANIZED FOR DURABILITY AND PLASTIC COATED FOR SUPERIOR DURABILITY.

SIZE	FINISH	PCS/CTN
NO.2	PLASTIC COATED	100PCS
NO.3	PLASTIC COATED	100PCS
NO.4	PLASTIC COATED	50PCS
NO.2	HOT DIPPED GALV.	100PCS
NO.3	HOT DIPPED GALV.	100PCS
NO.4	HOT DIPPED GALV.	50PCS
NO.2	ELECTRIC GALV.	100PCS
NO.3	ELECTRIC GALV.	100PCS
NO.4	ELECTRIC GALV.	50PCS



EP001

SIZE:
32×450MM
34×450MM




EP002



EP003



EP004



EP007

PRIVACY FENCE SLATS RANGE



U PVC PRIVACY FENCE SLAT
SIZE:

- 19CM (W)X201CM(L)X10PC SET
- 19CM (W)X251CM(L)X10PC SET




TEXILENE PRIVACY FENCE SLAT
SIZE:

- 19CM (W)X201CM(L)X10PC SET
- 19CM (W)X2550CM(L)X1PC ROLL



HDPE PRIVACY FENCE SLAT
SIZE:
 ● 19CM (W)X2050CM(L)X1PC ROLL

SPECIFICATION:
UV RESISTANT
ALL-WEATHER USE
MILDEW RESISTANT



PVC TARPAULIN PRIVACY FENCE SLAT
SIZE:

- 19CM (W)X3500CM(L)X1PC ROLL

END CLIPS FOR METAL FENCE STRIP



WIRE/BARBED WIRE



GALVANIZED IRON WIRE

ASSORTMENTS	SIZE	T/S (KGS/MM ²)
ELECTRIC-GALVANIZED	BWG6-BWG32	30-55
HOT DIPPED GALVANIZED	BWG6-BWG32	30-55

PACKING:

- IN 10-800KGS COIL LINED WITH WAX PAPER OR PVC STRIPES AND WRAPPED WITH HESSIAN CLOTH.
- IN SMALL COIL OF 0.5-10 LBS.




ANNEALED IRON WIRE

ASSORTMENTS	SIZE	T/S(KGS/MM ²)
BLACK ANNEALED IRON WIRE SOFT	BWG5-BWG24	30-55
BRIGHT ANNEALED IRON WIRE	BWG5-BWG24	30-55

PACKING:

- IN 10-100KGS COIL LINED WITH WAX PAPER OR PVC STRIPES AND WRAPPED WITH HESSIAN CLOTH.
- IN SMALL COIL OF 1-10 LBS.



PLASTIC COATED IRON WIRE

SIZE	T/S(KGS/MM ²)	COLOUR
CORE WIRE DIA.	30-55	DARK GREEN
0.5-4MM		FRESH GREEN
OUTER DIA.		BLACK WHITE
1.0-5MM		AND ETC.

PACKING:

- IN 25-500KGS COIL LINED WITH WAX PAPER OR PVC STRIPES AND WRAPPED WITH HESSIAN CLOTH.
- IN COIL CALCULATED BY LENGTH



STRAIGHT CUTTED IRON WIRE

SIZE	T/S(KGS/MM ²)	MAX.LENGTH
BWG 4-BWG22	30-55	19FT.

PACKING:

- IN BUNDLES OR IN CARTONS
- AVAILABLE IN GALVANIZED OR ANNEALED IRON WIRE



BAG TIES

DESCRIPTION:

BAG TIES, ALSO NAMED AS ROD TIES, ARE PRODUCED IN A FULL RANGE OF BLACK ANNEALED, GALVANIZED AND PLASTIC COATED WIRES.

SPECIFICATION:

SIZE (MM)	WT. PER BDL. (KG)	STANDARD PACK	PALLET QTY.
110	5.9	5	148
125	6.4	5	128
150	7.1	4	112
175	7.8	3	96
200	8.63	3	80
250	10.5	2	64
300	11.7	2	48
350	13.12	2	48

RANGE:

ABOVE BAG TIES ARE MADE FROM 1.57MM DIAMETER WIRE. OTHER DIA. AVAILABLE UPON REQUEST.

FINISH:

BLACK ANNEALED, GALVANIZED AND PLASTIC COATED WIRE.

PACKING:

THE STANDARD PACK IS A BUNDLE OF 2000PCS, AND THE POPULAR SIZES OF 110, 125 AND 150MM BAG TIES ARE ALSO AVAILABLE IN SMALL PACKS OF 200PCS. OTHER PACKING CAN BE SUPPLIED AS PER CUSTOMERS REQUIREMENT.



THE ZINC COATING TEST



THE RESISTANCE TEST

HOT-DIPPED GALVANIZED WIRE



HOT-DIPPED GALVANIZED WIRE IS WIDELY USED FOR CONSTRUCTION, WEAVING THE HARDWARE CLOTH AND MESH. METALTEC GALVANIZED WIRE IS WELL KNOWN IN THE WORLD.

- PACKING: 500KGS-800KGS PER COIL
- DIAMETER: 50CM/80CM
- STANDARD: COULD BE MADE ACCORDING TO EN OR ASTM OR AT CUSTOMERS' REQUIREMENTS
- PVC-COATED: PVC-COATED WIRE IN JUMBO IS AVAILABLE

BARBED WIRE







ASSORTMENT		SIZE
"IOWA" TYPE 2 STRANDS, 4 POINTS 3" - 6" SPACING	GALVANIZED BWG 12 PVC-COATED	BWG 12-1/2 × 14 BWG 13 × 14 BWG 13-1/2 × 14 BWG 14 × 14 BWG 14-1/2 × 14 BWG 16 × 16

- **PACKING:**
IN COIL OF 25KGS OR AS REQUESTED.

RAZOR WIRE (BARBED TAPE)



BTO-10	
BTO-15	
BTO-22	
CBT-65	

SPECIFICATION:

ITEM #	THICKNESS OF BLADE (MM)	WIRE DIA. (MM)	BLADE LENGTH (MM)	BLADE WIDTH (MM)	BLADE SPACING (MM)
BTO-10	0.5±0.05	2.5±0.1	10±1	13±1	26±1
BTO-15	0.5±0.05	2.5±0.1	15±1	15±1	33±1
BTO-22	0.5±0.05	2.5±0.1	22±1	15±1	34±1
CBT-65	0.6±0.05	2.5±0.1	65±1	21±1	100±2

BTO-12, 18, 25, 28, 30 AND CBT-60 ARE ALSO AVAILABLE

SIZE OF PACKING:

OUT DIA. OF COIL	CIRCLES	LENGTH OF COVERING	TYPE	N.B.
450MM-1250MM	33-53	8M-13M	CBT-65	SINGLE
500MM-1250MM	52-102	9M-16M	BTO-10, 15, 22	DOUBLE

- **REMARK:**
LENGTH AND DIAMETER OR WIRE CAN BE PRODUCED AS REQUESTED
- **MATERIAL:**
GALVANIZED BLADE OR STAINLESS STEEL BLADE ON WIRE

WELDED RAZOR MESH

- **STANDARD:** MESH-300MM × 150MM
- **HIGH DENSITY:** MESH-150MM × 75MM
- **HEIGHT MAX.:** 3 METERS
- **LENGTH:** 6M OR AS REQUESTED



GARDEN WIRE

METALTEC GARDEN WIRES HAS A WIDE RANGE SUCH AS GALVANISED, STAINLESS, BRASS, PLASTIC COATED, TWIST TIES AND PLANT RINGS ETC, THEY ARE WIDELY USED IN HOMES AND GARDENS.



SMALL COIL
GALVANIZED IRON WIRE



SMALL COIL PLASTIC
COATED IRON WIRE



SMALL COIL
STAINLESS WIRE



SMALL COIL BRASS WIRE



GALVANISED
GARDEN WIRE



PLASTIC COATED
TENSION WIRE



MINI COIL GALVANIZED
IRON WIRE



PLASTIC COATED
GARDEN WIRE



PLASTIC COATED
WIRE KIT



MINI COIL PLASTIC
IRON WIRE

GARDEN TWIST WITH HEADER CARD

SPECIFICATION:

SIZE	WEIGHT (Kg)	PCS / CARTON	CARTON SIZE (cm)
0.4MMX3MMX30M	0.057	48	44.3X25.8X16.3
0.4MMX3MMX60M	0.113	50	50.2X28.4X18.3

PACKING:

EACH PIECE WITH A HEADER CARD AND CUTTER, THEN PUT INTO CARTON, ALSO CAN BE PALLETIZED.

BASKET GARDEN TWIST

SPECIFICATION:

SIZE	WEIGHT (Kg)	PCS / CARTON	CARTON SIZE (cm)
0.4MMX3MMX30M	0.113	24	35.3X24.3X16.3
0.4MMX3MMX75M	0.185	24	35.3X24.3X16.3
0.4MMX3MMX100M	0.226	24	42.3X27.8X15.8

PACKING:

EACH PIECE WITH A HEADER CARD AND CUTTER, THEN PUT INTO CARTON, ALSO CAN BE PALLETIZED.



GARDEN WIRE IN BASKET

SPECIFICATION:

TYPE	SIZE	WEIGHT(Kg)	PCS / CARTON	CARTON SIZE (cm)
GALVANIZED	0.7MMX100M	0.298	24	35.5X20X18.5
	1.0MMX50M	0.31	24	35.5X20X18.5
	1.25MMX25M	0.23	24	35.5X20X18.5
PVC COATED	0.8/1.25MMX50M	0.3	24	35.5X20X18.5
	1.15/1.6MMX25M	0.26	24	35.5X20X18.5

PACKING:

EACH PIECE IN A PLASTIC BASKET WITH CUTTER, 24PCS / CARTON. THEN CAN BE PALLETIZED.



GARDEN WIRE ON WOODEN STICK

SPECIFICATION:

TYPE	SIZE	PCS / BAG	BAGS / CARTON
ANNEALED	0.65MMX100g	50	10
GALVANIZED	0.65MMX100g	50	10
PVC COATED	0.65MMX100g	50	10


PACKING:

100 GRAMS PER PIECE, 50PCS INTO A BOX, THEN 10 BOX INTO A CARTON.




DISPLAY SHELF






DISPLAY SHELF



DISPLAY SHELF





THE MOST FAMOUS BRAND OF WIRE MESH IN CHINA



M HEBEI MINMETALS CO.,LTD.

Add: No. 337, XinHua Road, Shijiazhuang,
Hebei, China

Tel / WhatsApp: +8617736090821

E-mail: marketing@hebeimetals.com

Website: www.hebeimetals.com



COPY-RIGHT RESERVED
版权所有 违者必究

2024.07第六版印刷